

New vice-county records

Hepaticae

- 1.1. *Haplomitrium hookeri*. 103: rare on damp gravelly ground by stream, 150 m alt., Poll nan Craciann, Achnacraig, Mull, NM719298, 2007, Bosanquet.
- 3.2. *Herbertus aduncus* subsp. *hutchinsiae*. 112: On grassy bryophyte-rich slopes, N-facing, ca 250 m alt., Da Sneug, Foula, HT9497339829, 2007, Payne.
- 7.2. *Kurzia sylvatica*. 103: peat at edge of loch, ca 15 m alt., NE shore of Loch Ba, NM575376, 2007, Kungu. 110: peat bank in blanket bog, ca 100 m alt., to N of the Pentland Road, NB33773455, 2007, Kungu. H6: boulder on N-facing slope below lip of corrie, ca 450 m alt., Coum Iarthar, S3112, 2007, Hodgetts 7238.
- 8.3. *Lepidozia cupressina*. 92: in crevices of heathy scree on steep, N-facing slope, 330 m alt., N-facing slopes of Creag Ghiubhais, Deeside, NO31059575, 2007, Rothero 17027.
- 9.1. *Bazzania trilobata*. H20: steep slope in N-facing woodland, ca 140 m alt., Upper Lake, Glendalough, T108960, 2007, Hodgetts 7108.
- 10.6. *Calypogeia sphagnicola*. 109: growing on surface of *Sphagnum fuscum* hummock, Maol Donn, Forsinard RSPB, NC987453, 2006, Payne.
- 10.7. *Calypogeia suecica*. 103: on soggy, rotting log on floor of woodland, ca 50 m alt., in lower part of valley Eas Mor above Port Donain, Ardura-Achnacraig SSSI, NM7329, 2007, Preston.
- 10.8. *Calypogeia arguta*. 33: edge of ditch, Fire Service Training College, Moreton-in-Marsh, SP228324, 2007, Landsdown, Porley & Rumsey.
- 12.4.b. *Cephalozia macrostachya* var. *spiniflora*. H9: occasional on bog developed in old peat cuttings, 20 m alt., N of Bohyodaun, R156566, 2007, Bosanquet & Preston.
- 12.6. *Cephalozia lunulifolia*. 32: on rotting log in deciduous woodland, High Wood, nr Preston Capes, 2007, Blackstock.
- 12.7. *Cephalozia pleniceps*. 103: through *Sphagnum subnitens* on base-flushed valley side, 40 m alt., Cnoc Mor, Mull, NM408194, 2007, Bosanquet. 103: in *Sphagnum* mire, Leac nam Brathairean, NM7231, 2007, Lawley.
- 13.1. *Nowellia curvifolia*. 61: on decorticated log in mixed woodland with *Lepidozia reptans* and *Lophoclea bidentata*, Brantingham Dale, N of Brantingham, SE9486430846, 2007, Wall.
- 14.1. *Cladopodiella fluitans*. H23: with *Sphagnum capillifolium* and *Odontoschisma sphagni* in wet bryophyte carpet at edge of small unshaded hollow in surface of raised bog, ca 65 m alt., W of Crosswood, N08084031, 2007, Holyoak 07-264.
- 17.3. *Odontoschisma elongatum*. H12: at edge of flush in shallow S-facing valley, with *Drepanocladus revolvens* and *Riccardia multifida*, ca 440 m alt., Croghan Mountain, T12597240, 2007, Hodgetts 7281.
- 18.4. *Cephaloziella hampeana*. 110: creeping amongst *Sphagnum* in blanket bog, ca 100 m alt., Allt Loch nan Geadh, NB3236, 2007, Hodgetts 7157. H21: creeping through *Sphagnum subnitens* in degraded burned heath, ca 580 m alt., Seahan Mountain, O084197, 2007, Hodgetts 7037.
- 18.11. *Cephaloziella turneri*. H20: scattered shoots and patches on dry, vertical, crumbling soil on SW-facing bank by path through ancient oak woodland, ca 120 m alt., Glen of the Downs, O26261120, 2007, Hodgetts 7087.
- 21.2. *Barbilophozia kunzeana*. 112: With *Warnstorfia fluitans* at edge of tiny pool, ca 410 m alt., summit of Da Sneug, Foula, HT9475739461, 2007, Payne.
- 21.8. *Barbilophozia barbata*. 25: Tunstall Heath, TM3854, 1923, Mayfield. 63: on thin soil on surface of low, half-shaded grit boulder, 255 m alt., Abbey Brook, Howden Moors, Upper Derwent Valley, SK176921, 2007, Blockeel 36/571.
- 23.6. *Lophozia excisa*. 75: in cushions of *Dicranum scoparium* on ledges of crag, 290 m alt., NW slopes of Glenmuck Craig, SE of Dalmellington, NS498034, 2007, Rothero 17168.
- 23.13. *Lophozia bicrenata*. 93: delete, as record in *Field Bryology* 93 (2007) is situated in 92 (M.O. Hill, in litt. 2007).
- 24.3. *Leiocolea bantriensis*. 103: in highly calcareous flush, with *Palustriella commutata* var. *commutata*, ca 160 m alt., SW of Meall Reamhar, Ardura-Achnacraig SSSI, Mull, NM72122968, 2007, Preston.
- 24.6. *Leiocolea heterocolpos*. 67: sandstone rock face,

- 130 m alt., on W bank of River South Tyne, 200 m upstream of bridge, Featherstone Bridge, NY674617, 2007, Bosanquet.
- 24.7. *Leiocolea badensis*. H7: locally frequent on damp edges of forestry track, 200 m alt., Boherboy wood track, Carrignagapple, S335342, 2007, Bosanquet. H13: with *Aneura pinguis* on bare soil on bank by moorland road, ca 340 m alt., N side of Mount Leinster, nr Carrolls Cross, S8356, 2007, Blockeel 36/540.
- 25.1. *Gymnocolea inflata*. H21: mainly bare peaty soil in partly burnt area of old quarry, ca 50 m alt., E of Howth village, O29803897, 2007, Holyoak 07-446.
- 31.1. *Mylia taylorii*. H12: hollow among granite boulders, ca 650 m alt., NE side below the summit of Mount Leinster, S8352, 2007, Blockeel 36/550. H13: hollow among granite boulders, ca 700 m alt., NW side below the summit of Mount Leinster, S8252, 2007, Blockeel 36/547.
- 32.7. *Jungermannia sphaerocarpa*. 43: damp shale cliff beside stream, Giwern Hill, SO092591, 2007, Lawley.
- 34.1.b. *Marsupella emarginata* var. *aquatica*. 57: on dripping shale, by Torside Reservoir, Torside Clough, SK0697, 2007, Blockeel & Wall.
- 34.1.c. *Marsupella emarginata* var. *pearsonii*. 103: stream, N side of Ben More, Mull, NM5135, 2007, Fisk.
- 34.9. *Marsupella stableri*. 103: on damp, sheltered sides of rocks in stable scree, 760 m alt., N coire of Ben More, Mull, NM52853321, 2007, Rothero 17077.
- 34.11. *Marsupella adusta*. 73: on smaller rocks in acid scree on N-facing slope, 650 m alt., Craggs on NE side of Beninner, 6 km NE of Carsphairn, NX606972, 2007, Rothero 17170.
- 35.4. *Gymnomitron crenulatum*. H20: on big boulder nr lake in NE-facing corrie, ca 570 m alt., Lough Ouler, O08970207, 2007, Hodgetts 7118.
- 38.1. *Scapania compacta*. H31: unshaded soil over low slaty rocks on cliff top, nr low *Festuca*, *Calluna* and *Erica cinerea*, ca 15 m alt., Clogher Head, O17318456, 2007, Holyoak 07-173.
- 38.11. *Scapania nemorea*. 61: on north church wall, Lowthorpe Church, NE of Driffield, TA0760, 2007, Wall.
- 38.12. *Scapania irrigua*. H24: damp peat in old peat diggings, almost unshaded at base of *Agrostis stolonifera*, *Molinia* and *Juncus effusus*, ca 45 m alt., Forthill Bog, N06515839, 2007, Holyoak 07-311.
- H32: on partly bare peat on moorland slope, ca 270 m alt., S slope of Eshmore, H55494167, 2007, Holyoak 07-167.
- 38.15. *Scapania undulata*. H32: on part-shaded sandstone boulders 5–10 cm above water level in moorland stream, ca 285 m alt., Barratitopy Upper, H56484231, 2007, Holyoak 07-158.
- 38.18. *Scapania paludosa*. 112: Spring at head of flush with *Pohlia wahlenbergii*, ca 100 m alt., slopes SSW of Ristie, Foula, HT9560040768, 2007, Payne.
- 38.23. *Scapania nimbose*. 103: with *Sphagnum* in grassy heath amongst scree on N-facing slope, 740 m alt., N coire of Ben More, Mull, NM52793328, 2007, Rothero 17076.
- 40.4. *Lophocolea semiteres*. 84: on base of conifer in shaded, humid conditions, ca 170 m alt., Easter Inch Moss nr Seafield, NT001663, 2007, Flagmeier. 100: on exposed roots of large conifer, 30 m alt., Pine conservation area, Mount Stuart, Bute, NS1059, 2007, Rothero 17153.
- 40.4A. *Lophocolea brookwoodiana*. 17: in short grassland in cemetery, Brookwood Cemetery, NW of Guildford, 2004, Sheahan (Paton & Sheahan, 2006).
- 40.5. *Lophocolea fragrans*. 69: among bryophyte mat including *Heterocladium* and *Porella cordaeana* on slate rocks on banks of small stream, ca 20 m alt., SE of track through Lane Park Wood, SW of Cartmel, SD37057794, 2002, Nelson. H9: among *Lejeunea lamacerina* on soil of stream bank, 67 m alt., Coolderor Bridge, Lissycasey, R227665, 2007, Bosanquet.
- 41.2. *Chiloscyphus pallescens*. H22: base of *Carex*, *Festuca*, *Molinia* and herbs, ca 50 m alt., N of Duleek, O04156915, 2007, Holyoak 07-450.
- 44.1. *Saccogyna viticulosa*. H13: humus on shaded rocks on wooded bank, ca 20 m alt., E bank of River Barrow, NE of Tinnahinch, S7244, 2007, Blockeel 36/553.
- 46.4. *Plagiochila britannica*. 33: rocks associated with quarrying at the top of escarpment in beech woodland, Nottingham Scrubs, SO911087, 2007, Landsdown. 45: two patches on small stumps nr natural limestone outcrops, 35 m alt., Mount Sion Covert, Castlemartin, SR91702 95718, 2007, Bosanquet. 80: on calcareous mossy dyke, open river bank, ca 110 m alt., S bank of Tinnis Burn below Redmoss Bridge, Liddesdale, NY45898381, 2007, Long & Kungu 36522.

- 46.6. *Plagiochila atlantica*. 99: on S-facing rock in woodland nr river, 90 m alt., N side of Douglas Water, Loch Lomond Woods SAC, NS33859771, 2007, Rothero 17039.
- 46.7. *Plagiochila spinulosa*. H13: sparsely among *Saccogyna* on heavily shaded rocks on wooded bank, ca 20 m alt., E bank of River Barrow, NE of Tinnahinch, S7244, 2007, Blockeel 36/554.
- 46.8. *Plagiochila killarniensis*. 110: rock outcrops in cliffs above beach, ca 20 m alt., N coast of Great Bernera, NB135402, 2007, Kungu. H11: on sheltered rock face on N-facing wooded bank, 10 m alt., banks of River Nore, Inistioge, S6337, 2007, Blockeel 36/531.
- 51.1. *Radula complanata*. 59: on bark of deciduous tree in park, with *Zygodon conoideus* and *Ulota phyllantha*, ca 95 m alt., Chadderton Hall Park, SD895063, 2007, Blockeel 36/586.
- 51.2. *Radula lindenberghiana*. 45: frequent over ca 1 m x 30 cm of S-facing shale cliff by road, 15 m alt., Llawhaden, SN741172, 2007, Bosanquet.
- 51.3. *Radula voluta*. 103: on moist soil on edge of stream, lightly shaded, 20 m alt., Ravine of Lian Mor, Loch Spelve, Mull, NM675259, 2007, Cameron.
- 52.1. *Ptilidium ciliare*. H6: small patch over rock on E-facing slope below cliffs in corrie, ca 400 m alt., Monavullgh Mountains, Farbreaga, S28490472, 2007, Hodgetts 7275. H12: edge of rock in heathy grassland on SW-facing hillside, ca 450 m alt., Croghan Mountain, T13017232, 2007, Hodgetts 7282.
- 53.2. *Porella cordaeana*. H7: boulders on shore of small corrie lake, ca 480 m alt., NE corrie, Knockmealdown, S06400864, 2007, Hodgetts 7199.
- 53.3. *Porella arboris-vitae*. 75: on more or less basic rock below ash tree in gully through crags, 290 m alt., NW slopes of Glenmuck Craig, SE of Dalmellington, NS498034, 2007, Rothero 17167.
- 53.5. *Porella pinnata*. H32: on side of boulder ca 20 cm above water in stream, partly shaded by woodland edge, ca 70 m alt., Rossmore Forest Park, H653316, 2007, Holyoak 07-237.
- 54.5. *Frullania dilatata*. H31: 1.5 m above ground on lightly shaded branch of *Crataegus monogyna* in hedgerow beside pasture nr river, ca 7 m alt., Drumcar Bridge, O06659118, 2007, Holyoak 07-187.
- 56.1. *Marchesinia mackaii*. 47: in small quantity on base-rich sandstone, N side of Llyfnant Valley, SN716976, 2007, Forster-Brown.
- 59.1. *Microlejeunea ulicina*. 30: on the middle branches, ca 10 m from ground, of a newly fallen oak, 200 m alt., Whipsnade, nr Dunstable, TL016184, 2007, Tipper. 32: on *Salix caprea*, Irchester Country Park, S of Wellingborough, SP915660, 2007, Stern. 32: on elder, 90 m alt., Whiston Quarry, SP842603, 2007, Flagmeier. 83: on leaning trunk of *Corylus*, amongst *Metzgeria temperata*, damp *Betula* woodland, ca 215 m alt., Hermand Birchwood SE of West Calder, NT03146200, 2007, Long, Kungu, Chamberlain & Flagmeier 36440. 110: shaded base of rock outcrop on NE-facing coastal cliffs, ca 5 m alt., Camas Bostadh, NB1340, 2007, Hodgetts 7160.
- 60.1. *Lejeunea cavifolia*. 54: base of coppiced ash, Swinn Wood, TF423779, 2007, Rieser.
- 61.1. *Colura calyptrofolia*. H12: on stem of *Ulex* in extensive gorse thicket, ca 260 m alt., summit of Slievecoilta, 6 km S of New Ross, S726211, 2007, Blockeel 36/559. H32: on bark 1.5 m above ground on *Salix cinerea* on bank of moorland stream, ca 285 m alt., Barratitoppy Upper, H56484231, 2007, Holyoak 07-156.
- 62.3. *Cololejeunea minutissima*. 12: on *Fraxinus* with *Orthotrichum* spp. on steep bank just above footpath, Short Lythe (NT), Selbourne, SU7431 3389, 2007, Rumsey & Rumsey. 29: epiphytic on willow in damp hollow, ca 3 m alt., Ettesley Local Nature Reserve, Whittlesea, TL28189652, 2007, Stevenson. 59: on bark of deciduous tree in park, ca 90 m alt., Chadderton Hall Park, SD895064, 2007, Blockeel 36/584. 74: among *Metzgeria* on *Alnus* in soakway through Sitka Spruce plantation, ca 50 m alt., S of Doon of May fort in woods S of Mochrum Loch, NX294513, 2007, Kungu.
- 63.1. *Aphanolejeunea microscopica*. H20: damp, shaded rock face nr stream in NE-facing birch woodland, ca 350 m alt., Luggala, O154085, 2007, Hodgetts 7072.
- 64.9. *Fossombronina incurva*. 25: damp gritty soil by pool, Tunstall Forest, TM382538, 2007, Fisk.
- 66.3. *Pellia endiviifolia*. H24: unshaded, sloping clay of bank just above water level of canal, among patchy low grasses and herbs, ca 55 m alt., by Royal Canal just S of Archies Bridge, N13595797, 2007, Holyoak 07-297A.
- 69.1. *Blasia pusilla*. 45: 40+ plants on damp forestry track, 30 m alt., Gallt Sere, Abercych, SN239408, 2007, Bosanquet.
- 70.1. *Aneura pinguis*. H21: with *Bryum pseudotriquetrum* on damp sand of path at edge of dune slack,

- among low sedges and grasses, ca 2 m alt., S part of North Bull Island, O22603610, 2007, Holyoak 07-415.
- 71.1. *Cryptothallus mirabilis*. 27: alder carr woodland growing under a downy birch (*Betula pubescens*) in *Sphagnum squarrosum* hummock, ca 1 m alt., Catfield Hall Estate, TG3725521370, 2007, Ellis.
- 72.1. *Riccardia multifida*. H21: damp burnt heath with patchy vegetation on base of N-facing Cambrian metamorphic rock in old quarry, lightly shaded, ca 50 m alt., E of Howth village, O29783897, 2007, Holyoak 07-445.
- 72.2. *Riccardia chamedryfolia*. 33: N-facing slope in calcareous grassland, 150 m alt., Swift's Hill/Elcott NR, SO876067, 2007, Landsdown.
- 72.4. *Riccardia palmata*. 40: on rotten log in deciduous woodland, Wyre Forest, SO707767, 2007, Fraser. 40: decorticated log, Wooler's Batch, Long Mynd, SO406891, 2007, Fraser. 81: on log in burn, wooded ravine, ca 30 m alt., Peased Dean below Pease Bridge, NT79217012, 2007, Long, Kungu & Flagmeier 36457.
- 73.1. *Metzgeria fruticulosa*. H7: on rowan in gully, 290 m alt., below Sheegouna, S316312, 2007, Bosanquet. H12: on stem of *Ulex* in extensive gorse thicket, ca 260 m alt., summit of Slievecoiltia, 6 km S of New Ross, S726211, 2007, Blockeel 36/560. H22: bark 1.0–1.5 m above ground on *Salix cinerea* tree in edge of wet pasture, ca 125 m alt., S of Drumone, N56017406, 2007, Holyoak 07-128.
- 73.2. *Metzgeria temperata*. H20: epiphytic on birch in swampy woodland by river, ca 130 m alt., Gledalough, Seven Churches, T1296, 2007, Hodgetts 7115.
- 75.1. *Sphaerocarpos michelii*. 14: from soil between paving stones, Spencer Road, Eastbourne, TV610980, 2007, Spiers, det. Matcham. 14: from soil between paving stones, Milnethorpe Road, Eastbourne, TV 600975, 2007, Spiers, det. Matcham. 29: stubble field nr ruined church, Ashley, 2007, Fisk & Preston.
- 76.1. *Targionia hypophylla*. 40: cliff edge, Earl's Hill, SJ410048, 2007, Lawley.
- 77.1. *Lunularia cruciata*. 110: on side of shaded stream gully nr beach, ca 3 m alt., Loidse Griaies, Griaies, Isle of Lewis, NB49419, 2007, Pool. H23: almost unshaded steep soil on bank above stream, ca 120 m alt., E of Carrick, N55437057, 2007, Holyoak 07-129.
- 80.1. *Reboulia hemisphaerica*. 94: on soil amongst limestone blocks on S-facing slope of ravine, 400 m alt., Water of Ailnack, W of Tomintoul, NJ154157, 2007, Rothero & Amphlett 17112.
- 81.1. *Preissia quadrata*. H20: on crumbling mortar in old building in disused lead and silver mine workings, ca 170 m alt., mine workings above Upper Lake, Glendalough, T0896, 2007, Hodgetts 7099.
- 82.1.a. *Marchantia polymorpha* subsp. *polymorpha*. H23: on mass mat at base of *Carex*, *Eriophorum* and *Phragmites* in fen on lough shore, ca 35 m alt., by S edge of Doonis Lough, N09575380, 2007, Holyoak 07-365.
- 82.1.b. *Marchantia polymorpha* subsp. *ruderalis*. H32: partly bare stony soil in lawn on road edge, in light shade of planted woodland, ca 70 m alt., Rossmore Forest Park, H653316, 2007, Holyoak 07-236.
- 84.7. *Riccia sorocarpa*. 21: arable field, S of Harefield, TQ057885, 2007, Duckett.
- 84.9. *Riccia glauca*. 21: arable field, S of Harefield, TQ057885, 2007, Duckett. 80: on soil, margin of stubble field, ca 89 m alt., Bow Bridge nr Maxton, NT62083040, 2007, Long, Kungu & Flagmeier 36432. 103: disturbed soil nr car park, Aros Park, nr Tobermorey, Mull, 2007, Fisk.
- 84.10. *Riccia subbifurca*. 16: Bare mud with *Physcomitriella patens* on sides of inflow stream, N end of Bough Beech Reservoir, W of road, TQ4848, 2007, Duckett & Pressel. 69: sandy glacial till, E shore nr Humphrey Head, SD392734, 2007, Nelson.
- 85.1. *Anthoceros punctatus*. 110: bank of ditch along track onto peat cuttings, ca 55 m alt., peat track to the W Griaies, NE of Lewis, NB4864342682, 2007, Pool, det. Kungu.
- 85.2. *Anthoceros agrestis*. 69: arable field (barley) on reclaimed saltmarsh, ca 5 m alt., SW of Holy Well Lane, nr Humphrey Head, SD385749, 2007, Nelson.
- 86.1. *Phaeoceros laevis*. 110: on bank of ditch by peat road, ca 65 m alt., W of Griaies, NB486426, 2007, Pool.
- 86.2. *Phaeoceros carolinianus*. 69: arable field (barley) on reclaimed saltmarsh, ca 5 m alt., SW of Holy Well Lane, nr Humphrey Head, SD385749, 2007, Nelson.

T. Blackstock (e t.blackstock@ccw.gov.uk)

Reference

- Paton, J.A. & Sheahan, M.C. (2006). *Lophocolea brookwoodiana* (Jungermanniales: Geocalycaceae), a new species to Britain. *Journal of Bryology* 28, 163–166.

Musci

Unless otherwise stated, all records are from 2007.

- 1.1. *Sphagnum austinii*. 110: Among bog pool complex in area of blanket bog, 100 m alt., Allt Loch nan Geadh, NB32483599, Hodgetts NG 7154.
- 1.3. *Sphagnum papillosum*. H21: Degraded burned wet heath, 580 m alt., Seahan Mountain, O08381966, Hodgetts NG 7035; H32: in unshaded *Sphagnum* carpet in ditch beside forestry track in moorland, among patchy *Calluna*, 285 m alt., Barratitoppy Upper, H56564233, Holyoak DT 07-150.
- 1.5. *Sphagnum magellanicum*. 59: in mire, Belmont Head flushes and mires, SD66351862, Jepson P, det. Newton.
- 1.6. *Sphagnum squarrosum*. 32: in bog in small plantation, 120 m alt., nr West Farndon, SP515505, Gent G, det. Higgs.
- 1.7. *Sphagnum teres*. 86: in base-rich flush by burn, 280 m alt., upper Banton Burn, SE of Tomtain, Kilsyth Hills, NS725806, Chamberlain DF *et al.* E; 110: Basic flush in small coastal valley, 10 m alt., Gabhsann bho Thuath, valley NE of NB4459, Hodgetts NG 7168; H6: Flush on N-facing slope just above riverbank, with *Hamatocaulis vernicosus*, *Juncus* spp, etc, 300 m alt., Comeragh Mts, River Nire, below Coumfea, S27701151, Hodgetts NG 7231; H28: in calcareous flush by river, 85 m alt., Easky River, G393277, Lockhart N 2007/01a.
- 1.9. *Sphagnum girgensohnii*. H6: Cushion amongst boulders and heather on N-facing slope above corrie lake, 470 m alt., Comeragh Mts, Knockan-affrin, Coumduala Lough, S29411432, Hodgetts NG 7213.
- 1.10. *Sphagnum russowii*. H12: steep bank amongst granite rocks, 650 m alt., Mount Leinster, NE side below summit, S8352, Blockeel TL 36/551.
- 1.12. *Sphagnum warnstorffii*. 110: Basic flush in small coastal valley, 10 m alt., Gabhsann bho Thuath, valley NE of, NB4459, Hodgetts NG 7167.
- 1.13.a. *Sphagnum capillifolium* subsp. *capillifolium*. H9: a few large mounds on old cut-over bog, 320 m alt., Cloonybreen, S of Toor Hill, R086830, Bosanquet SDS, Preston CD & Doogue D.
- 1.14. *Sphagnum fuscum*. 110: nr pools in blanket bog, 100 m alt., to the N of Pentland Road, NB327359, Kungu EM S459.
- 1.15.a. *Sphagnum subnitens* var. *subnitens*. H32: partly shaded by *Calluna* & young *Salix cinerea* on edge of ditch beside forestry track in moorland, 285 m alt., Barratitoppy Upper, H56514235, Holyoak DT 07-147.
- 1.16. *Sphagnum skyense*. H6: Steep heathy ground below N-facing conglomerate rock face between corries, 540 m alt., Comeragh Mts, Lough Coumfea, S28010991, Hodgetts NG 7227, conf. Hill.
- 1.21. *Sphagnum inundatum*. 109: in small flushed area in mire, SW corner of Plantlife Reserve at Munsary, ND220422, 2003, Payne AG.
- 1.22. *Sphagnum denticulatum*. 37: in pool in woodland, Wyre Forest, SO758763, Lawley M, det. Fraser, conf. Hill.
- 1.25. *Sphagnum tenellum*. H32: on unshaded edge of low sandstone rock on damp slope in moorland, 285 m alt., Barratitoppy Upper, H56484233, Holyoak DT 07-159B.
- 1.31. *Sphagnum flexuosum*. 80: in mire on watershed, 250 m alt., S of Barnes Lochs, Stobs, NT48440737, 2003, Corner RWM, conf. Hill; 110: Rushy ground at edge of blanket mire, 70 m alt., Tom a' Mhile, NB45, Hodgetts NG 7165, det. Hill.
- 1.32. *Sphagnum angustifolium*. 93: in rushy patch at edge of remnant bog in conifer plantation, 155 m alt., Waggle Hill, NJ802462, 2006, Bosanquet SDS & Preston CD; 107: in mire, Little Rogart nr Golspie, NC722038, 2003, Payne AG; 109: in mire, head of Meur a'Gheoidh E of Loch Sletill, RSPB Forsinard, NC96654707, 2005, Payne AG; H6: Flush on N-facing slope, with *Hamatocaulis vernicosus*, 340 m alt., Comeragh Mts, Sgillige Loughs, below, S28411188, Hodgetts NG 7229.
- 1.34. *Sphagnum riparium*. 92: in small spring at base of slope in open pine woodland, 250 m alt., nr Water of Tanar, Glen Tanar, NO44709367, Rothero GP 17005.
- 2.2.a. *Andreaea rupestris* var. *rupestris*. H21: Rock in heathland on summit of hill, 645 m alt., Seahan Mountain, O081197, Hodgetts NG 7040.
- 2.6.a. *Andreaea rothii* subsp. *rothii*. 103: on a boulder, Leac nan Brathairean, Mull, NM7229, Lawley M; H6: Boulder among streams on E-facing slope below corrie, 360 m alt., Comeragh Mts, Coumshingaun Lough, S333110, Hodgetts NG 7253; H12: on granite boulder, 650 m alt., Mount Leinster, NE side below summit, S8352, Blockeel TL 36/549; H21: Rock outcrop nr summit of hill,

- with *Grimmia trichophylla*, 450 m alt., Three Rock Mountain, O1723, Hodgetts NG 7048.
- 2.6.b. *Andreaea rothii* subsp. *falcata*. H21: Rock in upland heath, 550 m alt., Seahan Mountain, O0820, Hodgetts NG 7039.
- 3.2. *Pogonatum aloides*. H31: on partly bare soil on bank above stream, in part-shade of mixed deciduous & coniferous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081158, Holyoak DT 07-226.
- 3.3. *Pogonatum urnigerum*. H31: unshaded soil among rocks on N-facing hillslope with patchy grasses, 490 m alt., Clermont Cairn, J09951587, Holyoak DT 07-194.
- 4.1. *Polytrichum alpinum*. H21: Peaty bank by track at edge of conifer plantation, 580 m alt., Seahan Mountain, O078194, Hodgetts NG 7032.
- 4.2. *Polytrichum longisetum*. 43: on peat at side of path, Radnor Forest SSSI, SO204643, Lawley M; 108: dense carpet on peat by outflow from lochan, Loch Crocach area, Forsinard, NC81234422, Payne AG.
- 4.5.a. *Polytrichum commune* var. *commune*. H21: Wet grassy ditch at edge of conifer plantation, 490 m alt., Seahan Mountain, O074200, Hodgetts NG 7029.
- 4.5.b. *Polytrichum commune* var. *perigoniale*. 103: on track by road, 20 m alt., N of Coladoir Bog, Mull, NM557306, Bosanquet SDS (BBS visit); H7: Dry margin of track in heath above conifer plantation, 200 m alt., Knockshane, Glenmoylan, S04611132, Hodgetts NG 7194; H12: Soil at edge of track in forestry plantation, 280 m alt., Croghan Mountain, T1471, Hodgetts NG 7284; H21: Burnt peaty bank in degraded heathland, 520 m alt., Seahan Mountain, O08702010, Hodgetts NG 7030; H23: W of Carn Park, N1042, Holyoak DT 07-380B.
- 4.6. *Polytrichum piliferum*. H21: Peaty bank by track at edge of conifer plantation, 580 m alt., Seahan Mountain, O078194, Hodgetts NG 7031; H21: unshaded thin soil over sloping, S-facing outcrop of Cambrian metamorphic rock, 25 m alt., SW coast of Howth peninsula, O26993711, Holyoak DT 07-431; H32: in tiny crevice of unshaded sandstone boulder beside moorland track, 295 m alt., S slope of Eshmore, H55034186, Holyoak DT 07-164.
- 4.7. *Polytrichum juniperinum*. H7: bank by forestry track, 2 m alt., Boherboy Wood track, Carrignapple, S335342, Bosanquet SDS.
- 4.8. *Polytrichum strictum*. 17: in valley bog with *Sphagnum magellanicum* and *S. papillosum*, 50 m alt., Thurs-ley Common, SU908415, Duckett JG, Pressel S & Matcham HW; H31: unshaded top of low peaty hummock on NW-facing slope in *Calluna* moorland, 495 m alt., Clermont Cairn, J09831584, Holyoak DT 07-205.
- 5.1. *Oligotrichum hercynicum*. H21: Peaty bank by track at edge of conifer plantation, 580 m alt., Seahan Mountain, O078194, Hodgetts NG 7033.
- 10.2. *Buxbaumia viridis*. 94: on dead rowan, wood by the Giant's Chair nr Dufftown, NJ32353826, Taylor S, conf. Amphlett; 106: on birch log, nr path down to Rogie Falls, NH4435 5835, Genney D.
- 12.2. *Pleuridium subulatum*. H32: partly bare loamy soil at edge of road verge by car park, lightly shade by poplar tree, 70 m alt., Rossmore Forest Park, H654315, Holyoak DT 07-245.
- 14.2. *Ditrichum pusillum*. 2: open china-clay spoil, with sparse low vegetation, nr flooded pit, 235 m alt., Park China Clay Pit, SE of Whitebarrow Downs, SX197704, Holyoak DT 07-122.
- 14.7.a. *Ditrichum zonatum* var. *zonatum*. H20: Dripping rock face on N-facing cliff nr top of corrie, 900 m alt., Lugnaquilla Mountain, T02879185, Hodgetts NG 7136.
- 14.10. *Ditrichum gracile*. H31: unshaded S-facing slope on sand dune, with patchy low grassland, 5 m alt., nr Baltray, O14927730, Holyoak DT 07-406.
- 19.2. *Bruchia vogesiaca*. 2: on damp, gritty soil of steep, unshaded, low bank at edge of river, 205 m alt., by De Lank River, SX1175, 2006, Holyoak DT 06-231. New to British Isles.
- 20.1. *Rhabdoweisia fugax*. H20: Rock crevices in cliffs and boulders in vicinity of waterfall, both above and below, 200 m alt., Powerscourt Waterfall, O1983 1201, Hodgetts NG 7080.
- 20.2. *Rhabdoweisia crispata*. H20: Rock crevices in N-facing cliff nr top of corrie, 900 m alt., Lugnaquilla Mountain, T02939192, Hodgetts NG 7135.
- 21.3. *Cynodontium jenneri*. 92: in crevice in block scree, 280 m alt., on SW-facing slope above Tüllich Burn, Tüllich by Ballater, NO38459875, Rothero GP 17018.
- 23.1. *Dichodontium pellucidum*. H21: Peaty edge of track at margin of conifer plantation, 580 m alt., Seahan Mountain, O078194, Hodgetts NG 7034.
- 23.2. *Dichodontium flavescens*. 80: on calcareous rock nr river, 130 m alt., S bank of Tinnis Burn below Redmoss Bridge, NY454845, Flagmeier *et al.* 71; H11: in wet, rock crevice on N-facing wooded bank, 10 m alt., bank of River Nore at Inistioge, S6337, Blockeel TL 36/535; H20: Among rocks by small

- stream below N-facing cliff, 420 m alt., Maulin, Raven's Glen, O17971327, Hodgetts NG 7063; **H6**: By small streams in shaded gully on N-facing slope, 400 m alt., Comeragh Mts, Coum Iarthar Loughs, S31331214, Hodgetts NG 7239.
- 25.4 *Dicranella crispa*. Delete 67, locality is v.c. 68 comm. O'Reilly
- 25.6. *Dicranella varia*. **H31**: unshaded soil among rocks on N-facing hillslope with patchy grasses, 490 m alt., Clermont Cairn, J09951587, Holyoak DT 07-198.
- 25.7. *Dicranella staphylina*. **H24**: on partly bare stony soil at base of wall of ruin, by concrete path; part-shaded by walls, 60 m alt., W of Elfeet, N01456016, Holyoak DT 07-288.
- 25.10. *Dicranella heteromalla*. **H31**: on humic soil at base of conifer trunk in open mixed coniferous & deciduous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-216.
- 26.1. *Dicranoweisia cirrata*. **110**: on trunk of *Tilia* and *Acer* in parkland, 10 m alt., nr woodland centre in Stornoway Castle grounds, Lewis, NB422331, Kungu EM S458.
- 28.1. *Kiaeria falcata*. **H6**: On giant boulders in glacial moraine at mouth of corrie, 490 m alt., Comeragh Mts, Knockanaffrin, Coumduala Lough, S29411454, Hodgetts NG 7211; **H20**: Granitic rock above mountain lough in N-facing corrie, 700 m alt., Mullaghcleevaun, Cleevaun Lough, O06900732, Hodgetts NG 7067.
- 28.2. *Kiaeria blyttii*. **103**: on boulder in scree, N-facing coire on Ben More, Mull, NM5233, Lawley M.
- 29.5. *Dicranum majus*. **56**: in seasonally wet woodland with *Salix* and *Betula*, 9 m alt., former gravel pit, Daneshill lakes, SK6687, Blockeel TL 36/108.
- 31.4. *Campylopus fragilis*. **H23**: with other mosses on peaty soil of low bank in open *Betula* woodland, 65 m alt., E of Baronstown Demesne, N34016240, Holyoak DT 07-338.
- 31.5.a. *Campylopus pyriformis* var. *pyriformis*. **H32**: on unshaded, partly bare, disturbed peaty soil by moorland roadside, among patchy grasses & herbs, 295 m alt., S slope of Eshmore, H55114183, Holyoak DT 07-163.
- 31.6. *Campylopus flexuosus*. **H31**: vertical peaty soil of low bank facing N on hillslope, slightly shaded by *Calluna*, 490 m alt., Clermont Cairn, J09851587, Holyoak DT 07-202.
- 33.1. *Leucobryum glaucum*. **H32**: forming low hummock on open moorland slope, with *Calluna*, *Erica tetralix*, *Molinia* & *Sphagnum capillifolium*, 270 m alt., S slope of Eshmore, H55284168, Holyoak DT 07-160A.
- 33.2. *Leucobryum juniperoides*. **10**: on acid clay in oak woodland, Briddlesford Copse, SZ54769048, Sanderson NA; **103**: on woodland bank, Gracnan Ramh, Gruline N of Loch Ba, NM561392, Chamberlain DF (BBS meeting).
- 34.2. *Fissidens viridulus*. **61**: on soil over chalk pebbles with *F. taxifolius*, by track, Brantingham Dale, N of Brantingham, SE948308, Wall C, det. Blockeel; **H24**: damp part-bare soil at base of wall beside parking area nr canal; part-shaded, 60 m alt., by Royal Canal nr Draper's Bridge, N21455913, Holyoak DT 07-345; **H31**: on near-vertical soil of bank ca 1.5 m above stream, shaded by Hawthorns, 7 m alt., nr Drumcar Bridge, O06689114, Holyoak DT 07-191.
- 34.4. *Fissidens pusillus*. **49**: on rock in stream, Afon Hen nr Gyrn Goch, Llyn Peninsula, SH412480, Fraser L, conf. Orange; **86**: on rocks in river, N side of River Carron, Carron Glen SWT reserve, NS790832, Chamberlain DF *et al.* E
- 34.5. *Fissidens gracilifolius*. **45**: rare on damp limestone on buttress in cave, 15 m alt., Little Hoyle, SN111003, Bosanquet SDS; **61**: on church wall, Lowthorpe Church NE of Driffield, TA0760, Wall C 34-5; **80**: on shaded overhanging calcareous rocks on wooded river bank, 112 m alt., S bank of Tinnis Burn below Redmoss Bridge, NY45738393, Long DG & Kungu E 36520.
- 34.6. *Fissidens incurvus*. **H7**: thin soil over limestone, 20 m alt., Quarryford Bridge, Newinn, S057340, Bosanquet SDS.
- 34.8. *Fissidens curnovii*. **H31**: among stones 10–20 cm above water of stream, between boulders, part-shaded by mixed deciduous & coniferous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081158, Holyoak DT 07-227B.
- 34.9. *Fissidens rivularis*. **86**: on rocks in cascading small burn, by path on N side of River Carron, Carron Glen SWT reserve, NS7883, Chamberlain DF *et al.* E
- 34.10. *Fissidens monguillonii*. **H25**: mud part-shaded in edge of tall stand of *Phragmites*, on bank of river, 35 m alt., nr Devenish Island, M98232885, Holyoak DT 07-332.
- 34.18. *Fissidens dubius*. **75**: in crevices of ± base-rich crag, 290 m alt., NW slopes of Glenmuck Craig, SE of Dalmellington, NS498034, Rothero GP 17163;

- H20: Damp, shaded rock face nr stream in NE-facing birch woodland, 350 m alt., Luggala, O154 085, Hodgetts NG 7073.
- 35.1. *Octodicerus fontanum*. 33: on concrete apron of bridge, Gloucester-Sharpness canal, SO778107, Lansdown RV, det. Smith AJE.
- 36.4. *Encalypta vulgaris*. 21: one small tuft only on inclined stone capping of churchyard wall, St Mary's churchyard, Paddington Green, London W2, TQ267818, Rumsey FJ.
- 37.1. *Eucladium verticillatum*. H21: on tufaceous patch ca 20 cm above water of ditch on base of roadside wall, 25 m alt., E of Howth village, O29283905, Holyoak DT 07-442.
- 38.1.b. *Weissia controversa* var. *crispata*. H7: rare on limestone wall with *Encalypta streptocarpa* etc, 200 m alt., Rocklow Church, S192367, Bosanquet SDS; H9: on mortar of N-facing church wall, Kilmihil Old Church, R109640, Bosanquet SDS & Preston CD.
- 38.1.c. *Weissia controversa* var. *densifolia*. 41: locally abundant on metal-toxic spoil, 20 m alt., site of former Dillwyn Smelter, Llansamlet, SS677963, Bosanquet SDS.
- 38.2. *Weissia perssonii*. 106: on earthy ledge on rock outcrop, Hillockhead, Black Isle, NH757608, 2006, Payne AG, conf. Chamberlain.
- 38.3. *Weissia rutilans*. 45: in damp gravelly area on coastal slope, 60 m alt., just NW of Pen-y-graig, Ceibwr Bay, SN112465, Bosanquet SDS; H9: flushed verge on N side of R473, 40 m alt., Aughalogue Bridge, NE of, R1156, Bosanquet SDS & Preston CD.
- 38.4. *Weissia condensa*. H5: on floor of disused quarry, 60 m alt., Nutgrove quarry N of Glanworth, R769 080, 2006, Hodgetts NG 6830, conf. Chamberlain.
- 38.5.b. *Weissia brachycarpa* var. *obliqua*. 32: on ant-hill on bank of railway cutting, Woodford Hulse, SP542517, Lawley M.
- 38.6. *Weissia squarrosa*. 34: in ruts shaded by grass in well-vegetated set-aside, Orange Grove Barn, Ledgemore, ST863966, Lansdown RV.
- 38.12.a. *Weissia longifolia* var. *longifolia*. 33: on soil in disturbed ground at base of recently planted tree, Overley Wood, Cirencester Park, SO970045, 2006, Lansdown RV, conf. Holyoak.
- 38.12.b. *Weissia longifolia* var. *angustifolia*. 34: in ruts shaded by grass in well-vegetated set-aside, Orange Grove Barn, Ledgemore, ST864966, Lansdown RV.
- 39.1.b. *Tortella bambergeri*. 37: on boulder, beside Dowles Brook, Wyre Forest, SO758767, Lawley M; 40: on rock by stream, Callow Hollow, Long Mynd, SO426920, Lawley M; 43: on rock, Gilwern Hill, SO092591, Lawley M, conf. Bosanquet; 45: sandstone slabs of burial chamber, 3 m alt., Priest's Nose, Manorbier, SS059972, Bosanquet SDS; 63: on low grit boulder in open woodland in moorland clough, 275 m alt., Abbey Brook, Howden Moors, upper Derwent Valley, SK1892, Blockeel TL 36/573; 97: on mortared stone bridge, bridge over River Aline, Ardtornish, NM698476, Lawley M; 98: on limestone rocks with *Targionia* at side of small limestone valley, 20 m alt., nr Miller's Port, Lismore, NM81253749, Long DG & MacKinnon L 36679, conf. Bosanquet; 103: on several rocks in gully, 150 m alt., Poll nan Craicinn, Auchnacraig, Mull, NM719298, Bosanquet SDS (BBS visit); H6: Rock nr top of burn below corrie, 460 m alt., Comeragh Mts, Sgilloge Loughs, below, S290114, Hodgetts NG 7203, conf. Bosanquet; H7: Base-rich boulders in boulder field just above small corrie lake, 500 m alt., Knockmealdown, NE corrie, SO63086, Hodgetts NG 7196, conf. Bosanquet; H9: a few tufts on limestone pavement, 120 m alt., Ballyogan Bridge, R335892, Bosanquet SDS & Preston CD; H16: on boulder in scree on slope with limestone outcrops, 138 m alt., N slope of Minnaunmore, Kylemore Lough, L78525739, Long DG 36793.
- 39.6. *Tortella inclinata*. 33: on level platform in abandoned quarry, 150 m alt., Swift's Hill, Elliott Nature Reserve, SO877067, Lansdown RV, conf. Rumsey.
- 39.8.a. *Tortella flavovirens* var. *flavovirens*. H22: unshaded open area on slope of sand dunes, with patchy grasses, 5 m alt., nr South Bull, O15577583, Holyoak DT 07-395.
- 40.1. *Trichostomum brachydontium*. H21: thin soil over Cambrian metamorphic rock low on sea-cliff slope; almost unshaded, among patchy grasses & *Armeria*, 5 m alt., SW. coast of Howth peninsula, O27303674, Holyoak DT 07-437; H24: W of Cashel, N0060, Holyoak DT 07-279B.
- 40.2. *Trichostomum crispulum*. H21: unshaded dry soil exposed in gaps in short grassland on wall top below sea-cliff, 5 m alt., SW. coast of Howth peninsula, O27313673, Holyoak DT 07-438.
- 41.1. *Pottiopsis caespitosa*. 17: on steep S-facing calcareous grass bank, 125 m alt., Buckland Hills, TQ228525, 2006, Wallis HW, det. Matcham.

- 42.1. *Pleurochaete squarrosa*. 33: in short species-rich turf over oolite, Swift's Hill, Eliott Nature Reserve, SO876066, Lansdown RV; H22: unshaded open area on slope of sand dune, with patchy grassland, 5 m alt., nr South Bull, O15577583, Holyoak DT 07-396; H31: unshaded S-facing slope on sand dune, with patchy low grassland, 5 m alt., nr Baltray, O14927730, Holyoak DT 07-407.
- 44.1. *Dialytrichia mucronata*. 57: on base of alder by river, 95 m alt., River Dove, Norbury, SK123423, Blockeel TL 36/595.
- 45.1. *Pseudocrossidium hornschurchianum*. H24: on partly bare compressed soil of parking area on canal bank, slightly shaded, 55 m alt., by Royal Canal just S of Archies Bridge, N13615797, Holyoak DT 07-294.
- 45.2. *Pseudocrossidium revolutum*. 33: on soil in crevice in roadside wall, Ampney St Peter, SP085013, Lansdown RV, conf. Bosanquet.
- 46.1. *Bryoerythrophyllum recurvirostrum*. H31: mortar of vertical wall of bridge at roadside, part-shaded by tall grasses, 10 m alt., Drumcar Bridge, O06589109, Holyoak DT 07-183.
- 46.2. *Bryoerythrophyllum ferruginascens*. H31: unshaded soil among rocks on N-facing hillslope with patchy grasses, 490 m alt., Clermont Cairn, J09951587, Holyoak DT 07-195; H32: on thin soil overlying concrete of kerb at edge of road, slightly shaded by woodland edge, 70 m alt., Rossmore Forest Park, H653316, Holyoak DT 07-240.
- 50.1. *Gyroweisia tenuis*. 21: on damp stonework of canal, Springwell Lock nr Rickmansworth, TQ 043929, Duckett JG; H9: on mortar of old wall with *Didymodon tophaceus*, 10 m alt., Enistimon, The Cascades, R130884, Bosanquet SDS & Preston CD; H32: on shaded vertical sandstone of mortared stonework of bridge over moorland stream, 285 m alt., Barratitoppy Upper, H56484231, Holyoak DT 07-159A.
- 51.2. *Gymnostomum calcareum*. 32: on small limestone block in old quarry, Ring Haw woodland, TL052974, Godfrey MF.
- 51.3. *Gymnostomum aeruginosum*. H20: Carpet on wet ground in conifer plantation, 320 m alt., Croaghnamoira Mountain, bridge below, T084854, Hodgetts NG 7150.
- 54.3. *Didymodon rigidulus*. H31: on unshaded mortared-stonework of top of parapet of bridge over river, 10 m alt., Drumcar Bridge, O06589109, Holyoak DT 07-182; H32: on top of concrete wall of bridge over stream, slightly shaded by *Salix cinerea*, 285 m alt., Barratitoppy Upper, H56484231, Holyoak DT 07-153.
- 54.4. *Didymodon nicholsonii*. 33: on tarmac in abandoned car park, Cooper's Hill, SO886140, Lansdown RV; 49: on concrete paving by house, 50 m alt., Penmaenmawr, SH714761, Hill MO.
- 54.7. *Didymodon umbrosus*. 35: mortar of damp, shady wall, 20 m alt., Belle Vue Park, Newport, ST 306871, 2006, Bosanquet SDS.
- 54.8. *Didymodon vinealis*. H7: rare on old limestone wall, 80 m alt., Rocklow Bridge, S198363, Bosanquet SDS; H9: mortar on wall top nr church, 15 m alt., Kilrush, Q993551, Bosanquet SDS & Preston CD.
- 54.9. *Didymodon insulanus*. H23: horizontal concrete of path by canal edge, part-shaded beneath bridge, 90 m alt., edge of Royal Canal at Ballina Bridge, N388510, Holyoak DT 07-255; H31: soil in crevices ca 1.3 m above ground in roadside stone wall, shaded by edge of deciduous woodland, 75 m alt., just N of Ravensdale, J089132, Holyoak DT 07-230.
- 54.10. *Didymodon luridus*. H9: old wall by lough, 20 m alt., Knockerra Lough, east end, R062574, Bosanquet SDS & Preston CD; H24: on unshaded very thin soil over horizontal masonry on canal bank, 55 m alt., by Royal Canal just S of Archies Bridge, N13595797, Holyoak DT 07-296A.
- 54.12. *Didymodon sinuosus*. 72: at base of dry stane dyke in garden, 48 m alt., Dala, Hightae, NY096787, Kungu EM E; H24: on limestone boulders, lightly shaded in scrub above lake shore, 37 m alt., W of Loughfarm, N010598, Holyoak DT 07-274.
- 54.13. *Didymodon tophaceus*. H24: with other low mosses on top of small limestone boulder in grassland at edge of turlough; almost unshaded, 50 m alt., S of Carrownphull (Cordara Turlough SAC), N02866331, Holyoak DT 07-308.
- 54.14. *Didymodon spadiceus*. H20: Wet rocks by small stream on NE-facing slope, 450 m alt., Maulin, Raven's Glen, O17671330, Hodgetts NG 7062.
- 54.17. *Didymodon ferrugineus*. 83: on mossy conglomerate rocks in steep sided ravine, 315 m alt., below upper waterfall on Logan Burn, Pentland Hills, NT18236184, Long DG *et al.* 36641; H7: locally frequent with *Trichostomum crispulum*, *Ditrichum gracile* etc. on lime-rich road verge just N of junction, 80 m alt., Quarryford Bridge, Newinn, S057340, Bosanquet SDS.
- 58.3. *Aloina aloides*. H21: unshaded dry soil exposed

- in gaps in short grassland on wall top below sea-cliff, 5 m alt., SW coast of Howth peninsula, O27313673, Holyoak DT 07-439.
- 58.4. *Aloina ambigua*. 24: on chalky soil on steps, 125 m alt., church mound, Edlesborough Churchyard, SP 969190, 2006, Tipper CTW; 40: with *Bryum gemmiferum* on vertical sand face, 15 m alt., Morvil Sandpit, nr Bridgenorth, SO6893, 2006, Bosanquet SDS.
- 59.1. *Leptobarbula berica*. 16: at base of wall on calcareous ground with *Bryum caespiticium*, 150 m alt., Stansted churchyard nr West Kingsdown, TQ607621, Hendy J, det. Matcham; 34: on oolite fragments and pebbles in arable field, 250 m alt., nr Hetty Pegler's Tump, SO792001, Lansdown RV; 45: on vertical limestone in hole at bottom of W face of quarry, 45 m alt., SE of Pricaston, Castlemartin, SR920963, Bosanquet SDS.
- 60.1.e. *Tortula schimperii*. 24: on steep, acid clay bank amidst *Fagus* roots, adjacent to steps by Dell, Burnham Beeches NW of Slough, SU94388451, Rumsey FJ, det. Blockeel.
- 60.5. *Tortula marginata*. 32: at base of low wall under trees, 80 m alt., Bugbrooke churchyard, SP674573, Carter RH.
- 60.8.b. *Tortula muralis* var. *aestiva*. 33: on walltop, edge of Tesco car park Cirencester, SP022017, Lansdown RV.
- 60.11. *Tortula atrovirens*. H6: steep loamy soil facing S of 'hedgebank' on top of sea-cliff; unshaded, 20 m alt., N of Ardoginna Head, X16527702, Holyoak DT 07-76.
- 60.14. *Tortula viridifolia*. 111: Crumbling skeletal soil among rocks above HWM on low W-facing cliff, with *Weissia perssonii*, 5 m alt., Sanday, Ness of Brough, HY6542, Hodgetts NG 7180.
- 60.15. *Tortula modica*. 89: on exposed soil on ledge on rock slab on crumbling volcanic crags, 176 m alt., head of Glen of Rait, SW of Kinnaird, NO20642776, Long DG *et al.* 36481.
- 60.16. *Tortula truncata*. H32: on unshaded, disturbed, gravelly soil at edge of moorland track, with patchy grasses & herbs, 295 m alt., S slope of Eshmore, H55114183, Holyoak DT 07-162.
- 60.18.b. *Tortula acaulon* var. *pilifera*. 33: on disturbed ground below *Acer palmatum*, Batsford Arboretum, SP184336, 2006, Lansdown RV.
- 60.18.c. *Tortula acaulon* var. *schreberiana*. 34: in arable field, NE of Chapman's Cross, SO939019, Lansdown RV *et al.*, det. Bosanquet.
- 61.2. *Microbryum davallianum*. H24: unshaded dried mud nr turlough edge, with patchy low herbs & grasses, 45 m alt., S of Lismacmanus (Fortwilliam Turlough SAC), N01416339, Holyoak DT 07-299.
- 61.3. *Microbryum rectum*. H9: soil on grave, 10 m alt., Ruan Church, R334868, Bosanquet SDS & Preston CD.
- 61.4. *Microbryum curvicolle*. 34: grassland on steep slope Rodborough Common, SO848037, Lansdown RV.
- 61.5. *Microbryum floerkeanum*. 33: on disturbed ground, grounds of Fire Service Training College, Moreton-in-Marsh, SP212330, Lansdown RV.
- 62.3. *Hennediella heimii*. 63: on inclined wet flush on colliery spoil, Brodsworth Community Woodland, SE525077, Wall C, det. Blockeel; H31: among low slaty rocks at head of beach beneath low cliffs, part-shaded by sedges, grasses & herbs, 2 m alt., Clogher Head, O17378448, Holyoak DT 07-176.
- 63.1.a. *Acaulon muticum*. 33: on bare soil of anthill in pasture, Doverow Hill, SO817052, Lansdown RV.
- 65.1. *Syntrichia ruralis*. H12: old straw thatch on W-facing roof of cottage by main road, 15 m alt., by E side of R742 in Blackwater, T12393401, Holyoak DT 07-458C; H31: dry sand of slope of dune at edge of golf course, part-shaded by *Ammophila arenaria*, 5 m alt., nr Baltray, O14817758, Holyoak DT 07-402.
- 65.4. *Syntrichia intermedia*. 111: Rock in boundary wall of cemetery, 5 m alt., Sanday, the Lady Kirk, HY677399, Hodgetts NG 7181; H6: on concrete wall-capping of bridge, 5 m alt., Stradbally Cove, X368971, Blockeel TL 36/539; H24: on ledges on E side of limestone wall around graveyard; part-shaded, 60 m alt., W of Elfeet, N01446009, Holyoak DT 07-291; H31: on unshaded top of mortared-stone wall nr coast, 20 m alt., Clogher Head, O17218453, Holyoak DT 07-169
- 65.6. *Syntrichia virescens*. 53: on limestone gravestone in churchyard, 70 m alt., Ingoldsby Church, TF 010300, Hodgetts NG 7288; 55: on mature elder in old orchard, 135 m alt., Loddington, nr Uppingham, SK791023, Denard A, det. Rieser.
- 65.8. *Syntrichia papillosa*. 21: on sallow, N side of Dollis Brook, N of Oakwood Road, Hampstead Garden suburb, London, TQ261889, Duckett JG; 33: on branch of fallen oak in hedge, Doverow Hill, SO819051, Lansdown RV; 34: on horizontal branch of elder with *Zygodon viridissimus*, Highnam Woods, SO779193, 2006, Lansdown RV; H7: on ash nr stream, 65 m alt., Quarryford Bridge, Newinn,

- S057340, Bosanquet SDS; H9: rare on ash in village main street, 60 m alt., Knock, R0953, Bosanquet SDS & Preston CD; H24: ca 2 m up on unshaded trunk of *Populus* tree in lawn nr lough shore, 38 m alt., nr Collum Point, N01615761, Holyoak DT 07-317A; H31: ca 1.5 m above ground on trunk of Beech tree beside road at woodland edge, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-215A.
- 65.9. *Syntrichia latifolia*. 72: on silt overlying tarmac at edge of driveway, 200 m alt., Samye Ling, Eskdale, NT245001, Kungu EM S463.
- 65.10. *Syntrichia amplexa*. 37: on soil on vertical bank of river, River Stour, Wilden Marsh nr Stowport, SO826737, Lawley M, conf. Blockeel & Bosanquet.
- 68.2. *Schistidium rivulare*. H9: frequent on rock shelves in river immediately downstream of bridge, 30 m alt., Annageeragh Bridge, R031708, Bosanquet SDS, Preston CD & Doogue D.
- 68.3. *Schistidium platyphyllum*. H9: occasional on rock shelves in river immediately downstream of bridge, 3 m alt., Annageeragh Bridge, R031708, Bosanquet SDS, Preston CD & Doogue D.
- 68.4. *Schistidium agassizii*. 92: on granite boulder in large river, 190 m alt., River Dee ca 2.5 km downstream of Ballater, NO390966, Rothero GP 17003.
- 68.5. *Schistidium apocarpum* s.s. 35: on flat gravestone below S side of church, Llanvapley, SO367140, 2001, Bosanquet SDS; H6: Boulders around small lake in NE-facing corrie, 520 m alt., Comeragh Mts, Lough Coumfea, S279099, Hodgetts NG 7220; H20: Mortar in stonework of bridge over reservoir, 220 m alt., Vartry Reservoir, north bridge, O209059, Hodgetts NG 7090; H31: on horizontal rock of fallen wall, part-shaded by deciduous trees, 85 m alt., just N of Ravensdale, J090132, Holyoak DT 07-229.
- 68.8. *Schistidium pruinatum*. 89: on S-facing crumbling volcanic crags, 176 m alt., head of Glen of Rait, SW of Kinnaird, NO20642776, Long *et al.* 36478.
- 68.9. *Schistidium strictum*. 65: on wet sloping rocks on side of gully in crag, 420 m alt., Combe Scar, Dentdale, SD677874, Blockeel TL 36/115.
- 68.13. *Schistidium flaccidum*. 103: 20+ cushions on igneous outcrop below main crag, 50 m alt., Fionn Aoineadh, Ardmeanach, Mull, NM407269, Bosanquet SDS (BBS visit). New to Scotland.
- 68.16. *Schistidium crassipilum*. 5: on old mortar of parapet of bridge over river, lightly shaded by deciduous woodland, Castle Bridge, just S of Brewers Castle, SS895294, Holyoak DT 07-22B; 83: on sandstone blocks of old mossy wall, 320 m alt., lower N slope of Hare Hill, Pentland Hills, NT17616244, Long DG *et al.* 36621; 110: Concrete on roadbridge on Pentland Road, 100 m alt., Allt Loch nan Geadh, NB329347, Hodgetts NG 7156; H20: Mortar in stonework of bridge over reservoir, 220 m alt., Vartry Reservoir, north bridge, O209059, Hodgetts NG 7089; H21: Concrete trig point on summit of hill, 648 m alt., Seahan Mountain, O081197, Hodgetts NG 7028; H22: on unshaded top of limestone wall by edge of track, 40 m alt., by River Boyne on E edge of Navan, N88176835, Holyoak DT 07-136; H23: on limestone block ca 1 m above water at edge of lough, slightly shaded by ash sapling, 82 m alt., E shore of Lough Ennell, N41484651, Holyoak DT 07-127; H24: limestone boulder by track, slightly shaded by edge of scrub, 38 m alt., W of Loughfarm, N01045982, Holyoak DT 07-268; H31: on sloping slaty rock in old quarry, part-shaded by tall *Urtica dioica*, 95 m alt., Almondstown, O13848325, Holyoak DT 07-177.
- 68.17. *Schistidium elegantulum*. 19: on vertical concrete of dam, 3 m alt., River Stour at Flatford, East Bergholt, TM078327, Stevenson CR, conf. Bosanquet; 34: on concrete topping of roadside limestone wall, 104 m alt., Tetbury, ST885933, Martin P, det. Bosanquet; 69: on Carboniferous limestone, 25 m alt., Latterbarrow, Witherslack, SD43938281, Callaghan DA & Nelson W, conf. Bosanquet; H9: several patches on limestone pavement, 10 m alt., Ballyogan Bridge, R335892, Bosanquet SDS & Preston CD.
- 68.17.a. *Schistidium elegantulum* subsp. *elegantulum*. H20: Stonework of old bridge, 190 m alt., Donard, Hell Kettle Bridge, S934985, Hodgetts NG 7186, conf. SDS Bosanquet.
- 68.17.b. *Schistidium elegantulum* subsp. *wilsonii*. 33: on church roof, 100 m alt., Ampney St. Mary church, E of Cirencester, SP076015, Martin P, conf. Bosanquet; H24: on wall by canal, by Royal Canal just S of Archies Bridge, N1357, Holyoak DT 07-297B, det. Bosanquet.
- 69.4. *Grimmia tergestina*. 7: on Cotswold stone tile on low roof of house, 80 m alt., Malmesbury, ST932874, Martin P; 23: on upper surface of chest tomb, 100 m alt., Burford church, SP253124, Martin P; 33: on Cotswold stone roof tile of bus shelter, 150 m alt., Painswick, SO866097, Martin P.

- 69.7. *Grimmia donniana*. 75: on exposed upper surface of rock in scree, 290 m alt., NW slopes of Glenmuck Craig, SE of Dalmellington, NS498034, Rothero GP 17162.
- 69.10. *Grimmia longirostris*. 103: exposed rocks above gully, 140 m alt., S side of Beinn Reudle, Mull, NM 358459, Bosanquet SDS (BBS visit).
- 69.16. *Grimmia orbicularis*. 33: on Cotswold stone roof tile of bus shelter, 150 m alt., Painswick, SO866097, Martin P; H21: On S-facing old wall and gate pillar on N side of road, 330 m alt., Kilmashogue Mountain, O15262346, Hodgetts NG 7050.
- 69.18. *Grimmia funalis*. H6: Boulder on N shore of corrie lake, 390 m alt., Comeragh Mts, Coumshingaun Lough, S32831101, Hodgetts NG 7255.
- 69.19. *Grimmia trichophylla*. 20: on small granite boulder at roadside, 70 m alt., Moor Lane, Sarratt, TQ031991, Tipper CTW, conf. Smith; 32: on top of wall, Earl's Barton churchyard, SP852638, Lawley M, det. Porley; H21: Rocks in disused quarry, 320 m alt., Slievenabawnoge, O0822, Hodgetts NG 7046.
- 69.19.c. *Grimmia muehlenbeckii*. 104: An Sguman, NG4318, 1968, Birks HJB, det. Maier; H6: Boulder on shore of corrie lake, 390 m alt., Comeragh Mts, Coumshingaun Lough, S33011091, Hodgetts NG 7250, conf. Porley; H40: Benbradagh nr Dungiven, C60, 1968, Birks HH *et al.*, det. Maier.
- 69.20a. *Grimmia lisae*. 2: on old tarmac path, Veryan churchyard, Roseland Peninsula, SW9139, 2005, Paton JA, det. Holyoak; H9: locally frequent on shale rocks on E side of gully, 10 m alt., Goleen Bay, Q826560, Bosanquet SDS & Preston CD; H22: on unshaded sloping slaty rock of low NW-facing crag on hillside, 60 m alt., SE of Duleek, O05326783, Holyoak DT 07-411; H31: crevice in low unshaded slaty rocks of cliff top, 20 m alt., Clogher Head, O17228456, Holyoak DT 07-170.
- 69.21. *Grimmia hartmanii*. H20: Boulders in river at base of deep wooded gorge, ca 10 m upstream from the sculpture 'Into the Darkness', 100 m alt., The Devil's Glen, T24249905, Hodgetts NG 7093.
- 69.23. *Grimmia decipiens*. 36: on sandstone boulder, 250 m alt., White Rocks, Garway Hill, SO439246, Sleath JD; 69: on Silurian slate on W-facing drystone wall, 85 m alt., Blawith Hill, Brown Robin Cumbria Wildlife Trust reserve, Grange-over-Sands, SD41307930, 2006, Nelson W; H6: On boulder on SE-facing slope above peat cuttings at mouth of corrie, 330 m alt., Monavullagh Mts, Farbreaga, S287048, Hodgetts NG 7271; H20: Stonework of bridge over reservoir, 220 m alt., Vartry Reservoir, north bridge, O209059, Hodgetts NG 7091, conf. Porley; delete H40, voucher 'on vertical basalt at base of crag, 450m alt., W side of Benbradagh, C722113, 1999, Holyoak, 99-658' is *G. muehlenbeckii* comm. Hodgetts.
- 70.2. *Racomitrium aciculare*. 32: on tombstone in graveyard, Bugbrooke churchyard, SP674573, Carter RH.
- 70.4. *Racomitrium fasciculare*. H32: on sloping sandstone rock of old quarry in moorland, unshaded & S-facing, 270 m alt., S slope of Eshmore, H5549 4167, Holyoak DT 07-166.
- 70.6. *Racomitrium sudeticum*. H13: on granite boulder, 650 m alt., Mount Leinster, NW side below summit, S8252, Blockeel TL 36/546; H21: Rock in heathland on summit of hill, 645 m alt., Seahan Mountain, O081197, Hodgetts NG 7041.
- 70.7. *Racomitrium affine*. 96: on inclined rock face, 230 m alt., Wester Clunes above W path, NH540409, Payne AG H6: On slabby rock on N-facing slope in corrie, 570 m alt., Comeragh Mts, Coum Iarthar Loughs, S31521210, Hodgetts NG 7244; H20: Rock crevices in N-facing cliff nr top of corrie, 900 m alt., Lugnaquilla Mountain, T02939192, Hodgetts NG 7133.
- 70.8. *Racomitrium heterostichum*. H12: Edge of rock in heathy grassland on SW-facing hillside, 450 m alt., Croghan Mountain, T13017232, Hodgetts NG 7283; H13: on granite boulder, 650 m alt., Mount Leinster, NW side below summit, S8252, Blockeel TL 36/544; H21: Rock in upland heath, 550 m alt., Seahan Mountain, O0820, Hodgetts NG 7038.
- 70.11. *Racomitrium ericoides*. H32: on unshaded surface of sandstone boulder at edge of ditch in moorland, 295 m alt., nr Lough Antrawer, H54794184, Holyoak DT 07-165.
- 70.13. *Racomitrium canescens*. 103: 15+ large patches on SW-facing ledges, 75 m alt., Fionn Aoineadh, Ardmeanach, Mull, NM40672714, Bosanquet SDS (BBS visit); 106: on sand dunes, 3 m alt., Morrigh More, NH8083, Ballinger B.
- 71.1. *Ptychomitrium polyphyllum*. H21: Rock in disused quarry, 320 m alt., Slievenabawnoge, O0822, Hodgetts NG 7044.
- 72.1. *Glyphomitrium daviesii*. 75: on upper surface of exposed rock in scree, 290 m alt., NW slopes of Glenmuck Craig, SE of Dalmellington, NS498034, Rothero GP 17164.

- 73.1. *Campylostelium saxicola*. 69: on face of boulder nr beck, 160 m alt., between Wide Close and High Torver Park, Torver, SD27939447, Nelson W, conf. Hodgetts.
- 75.1. *Seligeria pusilla*. 94: on damp, shaded calcareous rock in ravine, 420 m alt., conglomerate pillar area, Water of Ailnack, W of Tomintoul, NJ145149, Rothero GP 17118.
- 75.2. *Seligeria acutifolia*. H24: on base of vertical limestone rock in old quarry, shaded by Hazels and ash saplings, 40 m alt., W of Cashel, N00926004, Holyoak DT 07-282.
- 79.1. *Entosthodon attenuatus*. H9: with *Fossombronia angulosa* on wet coastal rocks in gully, 15 m alt., Goleen Bay, Q826559, Bosanquet SDS & Preston CD; H20: On peaty detritus on dripping N-facing rock face, 420 m alt., Maulin, Raven's Glen, O1713, Hodgetts NG 7057.
- 80.1. *Physcomitrium pyriforme*. H12: part-bare, unshaded patch of clayey soil in weedy fallow field nr coast, 10 m alt., SW of Tacumshin Lake, T02670541, Holyoak DT 07-32.
- 81.1. *Aphanorhegma patens*. 37: on mud of dried-out pond, 28 m alt., Wilden Marsh Reserve, SO8289 7423, Lawley M, conf. Hodgetts.
- 83.1. *Ephemerum recurvifolium*. 45: on clay over limestone on steep bank, 35 m alt., target gully N of Pricaston, Castlemartin, SR91559680, Bosanquet SDS.
- 83.5.a. *Ephemerum serratum* var. *serratum*. 103: on soil in cattle-poached marsh, Cnoc Mor, nr Bunessan, Mull, NM4019, Fisk RJ; 110: on soil between stones on shore of small loch, N of Stornoway, Lewis, NB327364, Fisk RJ.
- 83.7. *Ephemerum hibernicum*. H25: partly bare patch of soil in sparse grassland on bank ca 1.5 m above river, almost unshaded, 35 m alt., Devenish Island, M98302870, Holyoak DT 07-334.
- 88.2. *Splachnum ampullaceum*. 46: on cattle (or horse?) dung in sedge-rich pasture, 5 m alt., Aberleri Fields NNR, Ynys-las, SN613918, Chater AO & Poland JP.
- 91.1. *Orthodontium lineare*. H9: frequent on dry peat bank separating two parts of bog, 15 m alt., Cloonybreen, S of Toor Hill, R086830, Bosanquet SDS, Preston CD & Doogue D; H32: on sloping bark 0.2–0.8 m above ground on base of fallen *Cupressus macrocarpa* tree in open grove of trees, 50 m alt., nr Hilton Lough, H492202, Holyoak DT 07-252.
- 93.3. *Pohlia cruda*. H6: rock crevices with some base-rich seepage in NE-facing cliffs in corrie, 600 m alt., Comeragh Mts, Coum Iarthar Loughs, S31071240, Hodgetts NG 7234.
- 93.5. *Pohlia obtusifolia*. 94: on mineral soil in area of very late snow lie, 1110 m alt., Feith Buidhe, Cairngorms, NH986010, Rothero GP 17091.
- 93.6. *Pohlia drummondii*. 110: on soil in rough ground at edge of road, 100 m alt., Pentland Road, NB 353340, Kungu EM S460; H12: Soil at edge of track in forestry plantation, 280 m alt., Croghan Mountain, T1471, Hodgetts NG 7285.
- 93.7. *Pohlia scotica*. 96: on silted rocks by burn below slabby waterfall, 410 m alt., waterfall on Allt Iarairidh, Dundreggan estate, NH32371766, Rothero GP 17066; 97: on silt in crevice of rock in burn, 120 m alt., Allt an t'Sluichdt above Garvan by Loch Eil, NM96417386, 2006, Rothero GP 16238.
- 93.11. *Pohlia annotina*. 32: on brick wall of disused railway tunnel, 140 m alt., N end of tunnel, Brampton Valley Way, Kelmash, SP750797, Carter RH.
- 93.12. *Pohlia proligera*. 96: on open mineral soil on unstable section of ravine side, 300 m alt., ravine on Allt Bhlaraidh below dam, Dundreggan estate, NH36091769, Rothero GP 17101.
- 93.13. *Pohlia campotrachela*. H4: on recently disturbed soil by forest road surfaced with limestone chips, Carrigagulla, Boggeragh Mountains, NE of Macroom, W37278370, 2005, Smith GF, det. Kelly conf. Holyoak; H6: On earth in gully in N-facing cliffs above corrie lake, 600 m alt., Comeragh Mts, Sgilloge Loughs, S2911, Hodgetts NG 7207.
- 93.16. *Pohlia lutescens*. H6: Disturbed soil heap by river, on right (SE) bank, 320 m alt., Comeragh Mts, Mahon Falls, R. Mahon, S31940805, Hodgetts NG 7258; H9: one small patch on vertical soil of road bank opposite graveyard, 120 m alt., Kilmurry McMahon opposite Graveyard, R124564, Bosanquet SDS & Preston CD.
- 93.18. *Pohlia melanodon*. H24: unshaded dried mud nr turlough edge, with patchy low herbs & grasses, 45 m alt., S of Lismacmanus (Fortwilliam Turlough SAC), N01396339, Holyoak DT 07-305.
- 93.19.a. *Pohlia wahlenbergii* var. *wahlenbergii*. H31: unshaded soil among rocks on N-facing hillslope with patchy grasses, 490 m alt., Clermont Cairn, J09951587, Holyoak DT 07-196.
- 94.1. *Epipterygium tozeri*. H6: loamy soil over rocks at base of N-facing bank above river, lightly shaded by deciduous trees, 15 m alt., S bank of R. Blackwater

- E of Lismore Bridge, X05039876, Holyoak DT 07-83.
- 96.1.a. *Anomobryum julaceum* var. *julaceum*. H20: By stream running through mine spoil in old lead and silver mine workings, 170 m alt., Glendalough, mine working above Upper Lake, T0896, Hodgetts NG 7098.
- 96.1.b. *Anomobryum julaceum* var. *concinatum*. 69: on outcrop of Urswick limestone in close cropped grassland, 30 m alt., Kirkhead, SD393752, Nelson W, conf. Holyoak; H6: Rock crevices with some base-rich seepage in NE-facing cliffs in corrie, 600 m alt., Comeragh Mts, Coum Iarthar Loughs, S31071240, Hodgetts NG 7235.
- 97.1. *Bryum marraii*. 103: at edge of eroded turf in salt marsh, 0 m alt., Miodar, NE Tیره, NM07725005, Chamberlain DF, E, det. Holyoak.
- 97.2. *Bryum warneum*. H21: in low bryophyte mat on W edge of track through dune slack, with sparse low *Equisetum variegatum* & *Festuca rubra*; unshaded, 2 m alt., North Bull Island, O2285036284, Holyoak DT 07-427.
- 97.7. *Bryum uliginosum*. H21: in low bryophyte mat on low bank by E edge of track through dune slack, on damp sand among sparse low *Festuca rubra*, *Equisetum*, *Carex*, etc, 2 m alt., North Bull Island, O2285536291, Holyoak DT 07-429.
- 97.13. *Bryum algovicum* var. *rutheanum*. 36: on gravel on waste ground, Bodenham Lake NR, SO528512, Lawley M, conf. Holyoak; 40: occasionally on sand-pit floor, Morvil Sandpit, nr Bridgenorth, SO6893, 2006, Bosanquet SDS; H18: on thin soil on unshaded top of wall N of ruin of castle, 45 m alt., W of Clonmacnoise, N007305, Holyoak DT 07-330B.
- 97.16. *Bryum archangelicum*. H31: unshaded soil among rocks on N-facing hillslope with patchy grasses, 490 m alt., Clermont Cairn, J09951587, Holyoak DT 07-197.
- 97.18. *Bryum intermedium*. H21: in low bryophyte mat nr track edge in dune slack, with sparse low grasses, sedges & herbs, 2 m alt., North Bull Island, O22753616, Holyoak DT 07-425A.
- 97.19. *Bryum donianum*. H21: Bare patch in S-facing vertical bank on N side of road, 330 m alt., Kilmashogue Mountain, O15252346, Hodgetts NG 7047; H23: on thin soil on ledge of low limestone rocks at base of grassy hillside, E-facing & shaded by grasses, 125 m alt., E of Carrick, N55407084, Holyoak DT 07-132.
- 97.27. *Bryum pallescens*. 111: Stonework of barn wall in drip zone below metal roof, 5 m alt., Sanday, Newbiggings, HY660416, Hodgetts NG 7179; H32: on thin soil over limestone gravel of edge of forestry track in moorland, part-shaded, 285 m alt., Barratitopy Upper, H56514235, Holyoak DT 07-149.
- 97.34. *Bryum gemmiferum*. 41: on soil bank on shore of pool, Kenfig Pool, SS799817, Lawley M; 110: on landslip at base of cliff, Camas Bostadh, Lewis, NB136402, Fisk RJ; H24: unshaded crevices of painted wood of lock gate above canal, 55 m alt., Royal Canal N of Ards Bridge, N10126681, Holyoak DT 07-319.
- 97.36a. *Bryum bicolor*. H24: unshaded clay bank by canal, with few patches of grasses but otherwise bare except for moss cover, 65 m alt., by Royal Canal at Pake Bridge, N12915955, Holyoak DT 07-309.
- 97.36c. *Bryum apiculatum*. 2: unshaded, part-bare patches of stony soil in short grassland of car-parking area beside track at edge of heathland, 135 m alt., W edge of Retire Common, SW99776313, Holyoak DT 07-09.
- 97.38. *Bryum radiculosum*. H21: unshaded top of mortared-stone wall, 25 m alt., SW coast of Howth peninsula, O27223701, Holyoak DT 07-435; H22: on mortar on small ledge of limestone wall by edge of track; lightly shaded, 40 m alt., by River Boyne on E edge of Navan, N88176835, Holyoak DT 07-135.
- 97.39. *Bryum ruderale*. H31: on thin dry soil on top of wall of old bridge (of mortared-stone) over stream in pasture; almost unshaded, 8 m alt., nr Drumcar Bridge, O06699113, Holyoak DT 07-193; H32: with other mosses on thin soil over edge of kerb beside road; unshaded, 70 m alt., Rossmore Forest Park, H653316, Holyoak DT 07-243.
- 97.42. *Bryum sauteri*. H9: occasional on vertical soil of road bank opposite graveyard, 5 m alt., Kilmurry McMahon opposite Graveyard, R124564, Bosanquet SDS & Preston CD.
- 97.45. *Bryum bornholmense*. H21: unshaded, thin, dry, recently burnt soil on ledges of Cambrian metamorphic rocks, with sparse low vegetation, 25 m alt., SW coast of Howth peninsula, O27233701, Holyoak DT 07-436.
- 97.46. *Bryum rubens*. H24: on partly bare stony soil at base of wall of ruin, by concrete path; part-shaded by walls, 60 m alt., W of Elfeet, N01456016, Holyoak DT 07-290.

- 99.5.a. *Mnium marginatum* var. *marginatum*. 33: on steep N-facing slope in mature beech woodland, Cooper's Hill, SO892147, 2006, Lansdown RV; 34: on low bank along track, Pen Wood nr Selsley Common, SO824025, Lansdown RV.
- 101.1. *Rhizomnium punctatum*. H31: growing over low rock on floor of mixed deciduous & coniferous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-220.
- 102.2. *Plagiomnium affine*. 85: in short turf over base-rich conglomerate rock outcrop, 50 m alt., Washer's Willy, Newport-on-Tay, NO44192756, Kungu EM & Chamberlain DF S464.
- 102.4. *Plagiomnium elatum*. H23: in moss mat at base of sparse *Carex* in wet fen, 105 m alt., Scargh Bog (SE of Portnashangan), N42515900, Holyoak DT, Hodgetts NG, Lockhart N, Holyoak 07-390.
- 102.5. *Plagiomnium ellipticum*. 35: in runnels between *Carex paniculata* tussocks, 0 m alt., Virtuous Well, Trellech, SO503050, Bosanquet SDS; H24: by lough, 38 m alt., nr Collum Point, N0157, Holyoak DT 07-317B; H31: on near-vertical soil of bank ca 1.5 m above stream, shaded by Hawthorns, 7 m alt., nr Drumcar Bridge, O06689114, Holyoak DT 07-192.
- 103.1. *Pseudobryum cinclidioides*. 46: locally abundant in mire by lake, S end of Llyn Eiddwen, SN604667, Bosanquet SDS & Reed DK.
- 104.1. *Aulacomnium palustre*. H21: On *Sphagnum* hummock in upland heath, 490 m alt., Fairy Castle, O166223, Hodgetts NG 7051.
- 104.2. *Aulacomnium turgidum*. 103: in grassy *Racomitrium* heath nr summit, 727 m alt., Dun da Ghaoithe. Mull, NM67193647, 2005, Britton A.
- 104.3. *Aulacomnium androgynum*. H20: Dry rock crevices beneath overhang in granitic rock at base of N-facing cliff, 200 m alt., Powerscourt Waterfall, O19831201, Hodgetts NG 7085.
- 107.1. *Amblyodon dealbatus*. 94: on wet soil on large ledge under overhang on limestone crag, 420 m alt., tufa cave area, Water of Ailnack, W of Tomintoul, NJ142148, Rothero GP 17131.
- 110.2. *Bartramia pomiformis*. H13: on rock on wooded bank, 20 m alt., E bank of River Barrow, NE of Tinnahinch, S7244, Blockeel TL 36/557; H21: Rock crevice in cliff in disused quarry, 320 m alt., Slievenabawnoge, O0822, Hodgetts NG 7045.
- 110.3. *Bartramia ithyphylla*. H6: Shaded rock crevice in NE-facing cliff in corrie, 620 m alt., Comeragh Mts, Coum Iarthar Loughs, S31331209, Hodgetts NG 7243.
- 112.8. *Philonotis calcarea*. 46: 3 large patches at top of gravel slump above stream, 35 m alt., Nant Troed-y-rhiw, Cwmystwyth, SN82967593, 2006, Bosanquet SDS & Chater AO.
- 113.1. *Breutelia chrysocoma*. H32: in patchy vegetation of *Juncus* & herbs at edge of ditch beside track in edge of spruce plantation in moorland, 285 m alt., Barratitoppy Upper, H56514234, Holyoak DT 07-146.
- 115.1. *Amphidium lapponicum*. H1: a few tufts on vertical sandstone crag, 950 m alt., Carrauntoohil, Central Gully above Lough Cummeenoughter, V802845, Blockeel TL 36/510.
- 116.1.b. *Zygodon viridissimus* var. *stirtonii*. 33: on stone face of concrete-capped wall, wall leading from the Camp to Honeycombe farm, SO917093, Lansdown RV; H18: in crevices of N-facing wall of ruin of castle, ca 1.5 m above ground, 45 m alt., W of Clonmacnoise, N007305, Holyoak DT 07-329.
- 116.2. *Zygodon rupestris*. 19: on mortar on churchyard wall, 40 m alt., Springfield churchyard, TL 719079, Pyner T, conf. Porley; 25: on old apple tree in pasture, Martin's Meadow NR, Monewden, TM228572, Fisk RJ, conf. Porley; H7: Boulders just above small corrie lake, 500 m alt., Knockmealdown, NE corrie, S063086, Hodgetts NG 7197.
- 116.3.a. *Zygodon conoideus*. H11: on trunk of beech tree, 100 m alt., Woodstock Park, Inistioge, S6336, Blockeel TL 36/537; H21: ca 1.5 m above ground on branch of elder in edge of scrub, 25 m alt., SW coast of Howth peninsula, O27223701, Holyoak DT 07-434 (part); H23: part-shaded ca 0.5 m above ground on old *Betula* branch & on bark low on fallen *Salix cinerea*, in open *Betula* woodland, 65 m alt., E of Baronstown Demesne, N34016240, Holyoak DT 07-337; H31: 1.3 m up on trunk of large isolated Beech tree on road verge nr parking area, 90 m alt., nr Marble Bridge (Ravensdale Park), J08111575, Holyoak DT 07-213.
- 117.1. *Orthotrichum lyellii*. 61: on ash tree, in disused railway cutting NW of Beverley, TA003424, Wall C; H31: 1.3-1.6 m up on trunk of large isolated Beech tree on road verge nr parking area, 90 m alt., nr Marble Bridge (Ravensdale Park), J08111575, Holyoak DT 07-211.
- 117.2. *Orthotrichum striatum*. 20: on willow branch overhanging flooded former sandpit, 75 m alt.,

- Frogmore Pits, St Albans, TL149028, Tipper CTW; 22: on old *Salix* by stream and lakes in old gravel workings, Dinton pastures, SU778723, Rumsey FJ; 24: on *Salix* & *Sambucus* by roadside, Between Druid's Oak and Paddock, Burnham Beeches, SU94788457, Rumsey FJ; 32: on willow and *Prunus*, 25 m alt., Ring Haw woodland, TL054972, BBS meeting; 33: on mature hybrid black poplar, Darn Heath farm, Moreton-in-Marsh, SP211333, Lansdown RV, det. Porley RD; 40: a few tufts 4m up a *Salix* overhanging a woodland pool, 80 m alt., SW corner of Brown Moss, Whichchurch, SJ562393, Bosanquet SDS; 54: on willow, by footpath from Furzehill to Snipe Dales, Hagworthingham, TF346689, Rieser C & Lammi-man F; H7: on *Salix* in woodland, 80 m alt., Boher-boy Wood, Carrignaclea West, S335345, Bosanquet SDS.
- 117.4. *Orthotrichum affine*. H31: on sloping slaty rock in old quarry, part-shaded by tall *Urtica dioica*, 95 m alt., Almondstown, O13848325, Holyoak DT 07-179.
- 117.5. *Orthotrichum rupestre*. 85: on roadside wall, nr Black Loch, NO259152, Chamberlain DF & Kungu EM; H24: 2 m above ground on sloping trunk of ash tree in old limestone quarry, 40 m alt., W of Cashel, N00926004, Holyoak DT 07-284.
- 117.7. *Orthotrichum obtusifolium*. 29: on 70 year old Bramley apple tree, 2 m alt., row 3, tree 6, Elm, West Norman's Orchard, E of Dairy Crest Depot, Begdale Road, TF46130695, Stevenson CR.
- 117.9.a. *Orthotrichum cupulatum* var. *cupulatum*. 32: on side of concrete sluice, Stanwick Lakes, SP967711, Lawley M; 33: on wall alongside road over river, River Windrush N of pub, Little Barrington, SP205133, Lansdown RV; H11: on top of embankment wall by river, 10 m alt., bank of River Nore at Inistioige, S6337, Blockeel TL 36/527; H24: limestone boulder by track, slightly shaded by edge of scrub, 38 m alt., W of Loughfarm, N01045982, Holyoak DT 07-269.
- 117.9.b. *Orthotrichum cupulatum* var. *riparium*. 12: on concrete bridge, over ford close to source of River Test at Overton, SU52695042, Rumsey FJ.
- 117.11. *Orthotrichum sprucei*. 24: in small quantity on *Acer campestre*, 165 m alt., Captain's Wood, Chesham, SP949037, Tipper CTW, conf. Porley.
- 117.12. *Orthotrichum stramineum*. 16: on apple tree in old orchard, 100 m alt., Plough Hill nr Borough Green, TQ612556, Hendy J; 23: on *Salix caprea* in scrub adjacent to ancient woodland, 96 m alt., Slade Camp (N), Brasenose Wood & Shotover Hill SSSI, SP55880564, Wright JA, conf. Porley; 104: On elm bough in scrubby S-facing coastal woodland fragment, with *Uloa pyllantha* and *Zygodon conoideus*, 2 m alt., Camastianavaig, N side of Tianavaig Bay, NG512389, 2006, Hodgetts NG 6998, det. T.L. Blockeel; H31: on tree bark with *Metzgeria furcata* and *Frullania dilatata*, nr Marble Bridge (Ravensdale Park), J0815, Holyoak DT 07-215B.
- 117.13. *Orthotrichum tenellum*. 33: on trunk of young elm, grounds of Fire Service Training College, Moreton-in-Marsh, SP212331, Lansdown RV; 34: on horizontal branch of ornamental tree, Westonbirt Arboretum, ST853903, Lansdown RV; 40: on trunk of willow, Stapleton gravel pit, SJ473042, Lawley M, det. Bosanquet; 56: on *Salix* in woodland, 9 m alt., former gravel pit, Daneshill lakes, SK6687, Blockeel TL 36/107; H22: on almost unshaded bark ca 1 m up on leaning trunk of *Salix fragilis* tree nr river, 35 m alt., nr bank of River Boyne just E of Navan, N8851 6902, Holyoak DT 07-140; H24: on cut branches of elder in tall hedgerow on bank of canal, 55 m alt., Royal Canal N of Ards Bridge, N10116679, Holyoak DT 07-322.
- 117.14. *Orthotrichum pallens*. 20: on willow branch in wet willow/alder scrub by river, 60 m alt., by River Gade and Grand Union Canal, Cassiobury Park, Watford, TQ089974, Tipper CTW, det. Porley.
- 117.16. *Orthotrichum diaphanum*. H9: on shaded wall, 20 m alt., Labasheeda Quay, R156530, Bosanquet SDS & Preston CD; H31: on sloping slaty rock in old quarry, part-shaded by tall *Urtica dioica*, 95 m alt., Almondstown, O13848325, Holyoak DT 07-178.
- 117.17. *Orthotrichum pulchellum*. 92: on juniper in open woodland on flats by burn, 230 m alt., by Tullich Burn, Tullich by Ballater, NO38699778, Rothero GP 17017; H21: Epiphytic on willow in old quarry, 370 m alt., Kilmashogue Mountain, O125222, Hodgetts NG 7056.
- 117.18. *Orthotrichum consimile*. 57: on bark of elder bush by side of lane, 300 m alt., nr Ravensnest, ca 2 km W of Ashover, SK342611, Blockeel TL & Pearman MA 36/495.
- 118.2. *Uloa drummondii*. 43: on alder and willow, Ashfield nr Rhayader, SN987645, Lawley M.
- 118.3. *Uloa crispa*. 110: on branch of sallow by burn above waterfall, S of Port Geiraha, N of Stornoway, NB5350, Fisk RJ, conf. Porley.
- 118.4. *Uloa bruchii*. H23: ca 2 m above ground on horizontal branches of ash and hazel on stream bank at edge of pasture & nr lough edge, shaded by

- Hawthorns, 120 m alt., E of Carrick, N55467067, Holyoak DT 07-130.
- 118.5. *Ulotia calvescens*. 45: one tuft on *Salix cinerea* branch overhanging stream S of palace wall, 170 m alt., Bishops' Palace, Lamphey, SN018008, Bosanquet SDS; H24: on bark of *Rhamnus cathartica* ca 1.3 m above rocks on shore of Lough Ree, shaded by scrub & ash saplings, 36 m alt., nr Collum Point, N016576, Holyoak DT 07-318; H32: bark 1.5 m up on *Salix cinerea* on bank of moorland stream; part-shaded, 285 m alt., Barratitoppy Upper, H56484231, Holyoak DT 07-155.
- 118.7. *Ulotia phyllantha*. 33: on bole of old boundary beech in pasture, Catswood, SO881075, Lansdown RV; H31: unshaded horizontal slaty rock outcropping in grassland nr cliff top, 15 m alt., Clogher Head, O17328457, Holyoak DT 07-174.
- 119.1.a. *Hedwigia ciliata* var. *ciliata*. 61: on stone capping of brick wall, E churchyard wall, North Cave, W of Hull, SE89783274, Wall C.
- 120.1.d. *Fontinalis antipyretica* var. *cymbifolia*. H18: fresh plants found unattached on strand-line at unshaded edge of River Shannon, 35 m alt., W of Clonmacnois, N00643061, Holyoak DT 07-327; H23: on vertical masonry of canal edge at 10-30 cm depth beneath water surface, lightly shaded by bridge, 90 m alt., in edge of Royal Canal at Ballina Bridge, N388510, Holyoak DT 07-256; H24: ca 25 cm below surface of water at edge of lough, on unshaded limestone boulder, 35 m alt., E edge of Lough Ree at Cow Island (W of Loughfarm), N00945984, Holyoak GA & Holyoak DT 07-276.
- 122.1. *Cryphaea heteromalla*. 89: on old elder by road, 185 m alt., head of Glen of Rait, SW of Kinnaird, NO20472774, Long *et al.* 36467.
- 124.1. *Antitrichia curtispindula*. 21: abundant on tree trunks, Enfield Chase, Southgate, TQ29, 1725, Dillenius JJ, conf. Lindberg; 103: on rock on edge of lochan, 270 m alt., Lochan Airde Beinn, NM471537, Pool M; 110: on open, S-facing rock outcrop, 110 m alt., Airigh an Aip, W of Stornoway, Lewis, NB35413407, Pool M; H7: Boulders on shore of small corrie lake, 480 m alt., Knockmealdown, NE corrie, S06400864, Hodgetts NG 7198.
- 125.1. *Pterogonium gracile*. 21: on beeches, Enfield Chase, TQ29, 1725, Dillenius JJ, conf. Lindberg.
- 127.1. *Leptodon smithii*. 69: on limestone on N side of dry-stone wall, 79 m alt., Applebury Hill, Allithwaite, SD37567656, Nelson W.
- 128.3. *Neckera pumila*. H31: 1.0 m up on trunk of large isolated Beech tree on road verge nr parking area, 90 m alt., nr Marble Bridge (Ravensdale Park), J08111575, Holyoak DT 07-212.
- 128.4. *Neckera complanata*. H31: on stone at base of mortared roadside wall, shaded by conifers & *Prunus laurocerasus*, 85 m alt., just N of Ravensdale, J091132, Holyoak DT 07-228.
- 129.1. *Homalia trichomanoides*. H32: ca 1.4 m above ground on steep bark of sycamore trunk in edge of open grove of deciduous trees, 50 m alt., nr Hilton Lough, H492202, Holyoak DT 07-251.
- 132.1. *Calyptrochaeta apiculata*. H5: in wet woodland nr estuary, 5 m alt., Fota Island South nr Fota Island Arboretum, W79427094, O'Neill FH.
- 133.1. *Hookeria lucens*. H31: among stones 10–20 cm above water of stream, between boulders, part-shaded by mixed deciduous & coniferous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081158, Holyoak DT 07-227A.
- 138.1. *Leskea polycarpa*. H20: On trunk of riverside sycamore, 190 m alt., Woodenbridge, Avoca River, T1977, Hodgetts NG 7188.
- 144.1.a. *Heterocladium heteropterum* var. *heteropterum*. H13: at base of rock outcrop on wooded bank, 20 m alt., E bank of River Barrow, NE of Tinnahinch, S7244, Blockeel TL 36/556; H31: on steep face of boulder (of metamorphic rock) nr roadside in shade of beech tree, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-214.
- 144.1.b. *Heterocladium heteropterum* var. *flaccidum*. H31: growing over low rock on floor of mixed deciduous & coniferous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-219; H32: covering low rock on floor of mixed deciduous & coniferous plantation, 50 m alt., nr Hilton Lough, H491205, Holyoak DT 07-246.
- 144.2. *Heterocladium wulfsbergii*. 4: on rock in dry stream bed, 110 m alt., W coast of Lundy Island, SS132455, 2006, Martin P; 50: on wet rocks by river, 60 m alt., R bank of Afon Conwy, Fairy Glen Betwys-coed, SH8053, 1981, Benoit PM; H20: Shaded rocks by river, 350 m alt., Luggala, Cloghoge River, O152089, Hodgetts NG 7069.
- 145.1.a. *Thuidium abietinum* subsp. *abietinum*. 33: abundant in abandoned quarry, Dodwell Quarries, Whittington, SP005217, Lansdown RV.
- 145.3. *Thuidium delicatulum*. H32: on S-facing slope, S slope of Eshmore, H5541, Holyoak DT 07-160B.

- 145.4. *Thuidium philibertii*. 40: in turf over limestone, Shadwell Quarry nr Much Wenlock, SJ625007, 2006, Lawley M, conf. Porley; H18: in short unshaded grassland on slope above moat of old castle ruin, 40 m alt., W of Clonmacnoise, N00733054, Holyoak DT 07-328; H24: in unshaded short patchy grassland on thin soil over limestone rock nr old quarry, 40 m alt., W of Cashel, N00876002, Holyoak DT 07-279A.
- 147.1.a. *Palustriella commutata* var. *commutata*. 19: on small ledge by stream and encrusted with calcareous deposits, 85 m alt., disused railway track, Fritch Way, Great Dunmow, TL620216, Pyner T, det. Blockeel; H21: slightly shaded edge of tarmac at wet edge of ditch below mortared-stone wall, 25 m alt., E of Howth village, O29283905, Holyoak DT 07-441.
- 147.1.b. *Palustriella commutata* var. *falcata*. H20: Flushed rock face in NE-facing birch woodland, 350 m alt., Luggala, O154085, Hodgetts NG 7076.
- 150.1.a. *Campylium stellatum* var. *stellatum*. H21: dune slack, North Bull Island (S end), O2235, Holyoak DT 07-422B.
- 150.1.b. *Campylium stellatum* var. *protensum*. 33: in dense mass on ant hill, abandoned quarry E of Scottsquar Quarry, SO847091, Lansdown RV, conf. Blockeel.
- 151.1. *Campyliadelphus chrysophyllus*. H7: occasional on lime-rich road verge just N of junction, 80 m alt., Quarryford Bridge, Newinn, S057340, Bosanquet SDS.
- 153.1.a. *Amblystegium serpens* var. *serpens*. H31: thin soil over slaty rock in old quarry, almost unshaded, 95 m alt., Almondstown, O13848325, Holyoak DT 07-180.
- 153.2. *Amblystegium fluviatile*. 86: on rocks in river, N side of River Carron, Carron Glen SWT reserve, NS790832, Chamberlain DF *et al.* E
- 153.3. *Amblystegium tenax*. 73: on rocks in cascade in river, 165 m alt., the Black Water just E of bridge over B7000, NX617883, Rothero GP 17173; H32: 0–10 cm above water-level of stream on almost unshaded masonry of wall by bridge, 70 m alt., Rossmore Forest Park, H65403158, Holyoak DT 07-244.
- 153.4. *Amblystegium varium*. H24: at edge of turlough, 45 m alt., S of Lismacmanus (Fortwilliam Turlough SAC), N0163, Holyoak DT 07-298B.
- 153.5. *Amblystegium humile*. 57: on muddy stone exposed at edge of river, 53 m alt., River Derwent at Duffield, SK350427, Blockeel TL & Pearman MA 36/110.
- 154.1. *Leptodictyum riparium*. H31: steep side of block of masonry just above water-level in flooded quarry, shaded by tall grasses, 95 m alt., Almondstown, O13848324, Holyoak DT 07-181.
- 157.1. *Drepanocladus polygamus*. H12: almost unshaded on damp sand at base of low *Holcus lanatus* & herbs in dune slack, 4 m alt., nr The Raven Point, T11802301, Holyoak DT 07-464; H21: among sparse *Agrostis stolonifera* & *Equisetum variegatum* on unshaded edge of dune slack, 2 m alt., North Bull Island (S part), O22603609, Holyoak DT 07-417.
- 157.2. *Drepanocladus aduncus*. H21: among sparse *Agrostis stolonifera* & *Carex panicea* in unshaded dune slack, 2 m alt., North Bull Island (S part), O22603610, Holyoak DT 07-416; H23: emergent from water ca 10 cm deep in shallow margin of pool in pasture, part-shaded by *Glyceria fluitans*, 65 m alt., E of Baronstown Demesne, N33266239, Holyoak DT 07-342.
- 157.4. *Drepanocladus lycopodioides*. H24: unshaded dried mud nr turlough edge, with patchy low herbs & grasses, 45 m alt., S of Lismacmanus (Fortwilliam Turlough SAC), N01416339, Holyoak DT 07-302.
- 157.5. *Drepanocladus revolvens*. 65: at edge of gravelly runnel in mineral-rich mire, 270 m alt., below Combe Scar, Dentdale, SD6787, Blockeel TL 36/116.
- 157.6. *Drepanocladus cossonii*. 75: in flush with *Palustriella commutata*, 300 m alt., NW slopes of Glenmuck Craig, SE of Dalmellington, NS498034, Rothero GP 17165; 79: edge of channel by river gravel, 240 m alt., S side of Yarrow, W of Craig Douglas, NT283243, 2006, Corner RWM, conf. Hill; 86: in basic flush by burn, 280 m alt., by Banton Burn W of minor road, Kilsyth Hills, NS725806, Rothero GP *et al.* 17185.
- 158.1. *Hamatocaulis vernicosus*. 86: in base-rich flush by burn, 280 m alt., upper Banton Burn, SE of Tomtain, Kilsyth Hills, NS725806, Chamberlain DF *et al.* E
- 161.3.a. *Hygrohypnum luridum* var. *luridum*. 61: on horizontal gravestone beneath N wall of church, Walton Church S of Driffield, TA0249, Wall C.
- 161.5. *Hygrohypnum eugyrium*. 86: on rocks in river, 90 m alt., Carron Valley SWT reserve, Denny, NS785834, Rothero GP *et al.* 17182; H20: Boulders in river at base of deep wooded gorge, 100 m alt., The Devil's Glen, T2499, Hodgetts NG 7094.
- 164.3. *Calliergon cordifolium*. 103: in fen by lochan, 30 m alt., Cnoc Mor, Mull, NM41131974, Bosanquet SDS (BBS visit); H9: in fen by lough, 20 m alt., Bohyodaun, N of, R156566, Bosanquet SDS & Preston CD.

- 166.1.b. *Isothecium myosuroides* var. *brachythecioides*. H6: Crevice in rock outcrop just S (Waterford side) of summit ridge, 650 m alt., Knockmealdown, summit ridge, S062084, Hodgetts NG 7201; H20: Crevices in rock outcrop in N-facing corrie, 720 m alt., Lugnaquilla Mountain, T03959245, Hodgetts NG 7146.
- 166.2. *Isothecium alopecuroides*. H31: growing over low rock on floor of mixed deciduous & coniferous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-218.
- 167.1. *Scorpiurium circinatum*. H11: on side of old wall, 40 m alt., by road between Coolshavogh and Inistioge, S6337, Blockeel TL 36/538.
- 168.1. *Homalothecium sericeum*. H31: on almost unshaded, steep, E-facing slaty rock nr coast, 20 m alt., Clogher Head, O17218453, Holyoak DT 07-168.
- 168.2. *Homalothecium lutescens*. H21: unshaded, among short grassland at edge of path through hollow in sand dunes, 3 m alt., North Bull Island (S part), O22613607, Holyoak DT 07-420; H31: unshaded short grassland on base of slope of dune at golf course edge, 5 m alt., nr Baltray, O14817758, Holyoak DT 07-405.
- 169.1. *Brachythecium albicans*. H31: among low grasses on thin soil over edge of low slaty rocks on cliff top, 15 m alt., Clogher Head, O17328457, Holyoak DT 07-175A.
- 169.3. *Brachythecium glareosum*. 45: in calcareous turf by low limestone outcrops, 5 m alt., Radford Pill Head, SN040033, Bosanquet SDS; 103: small patch in calcareous turf in S-facing gully, 110 m alt., S side of Beinn Reudle, Mull, NM358458, Bosanquet SDS (BBS visit); 110: Base-rich turf on shell sand on NE-facing slope, 10 m alt., Camas Bostadh, Lewis, NB1340, Hodgetts NG 7170.
- 169.7. *Brachythecium rivulare*. H31: damp soil at edge of pasture, part-shaded by woodland edge, 7 m alt., nr Drumcar Bridge, O06609112, Holyoak DT 07-186.
- 169.10. *Brachythecium reflexum*. 92: on fern litter in block scree, 1000 m alt., by Lochan Uaine, SE of Ben Macdui, NN99989801, Flagmeier M, conf. Rothero.
- 169.11. *Brachythecium velutinum*. 92: on shaded granite blocks in scree in ravine, 230 m alt., Vat Burn, Dinnet, NO420997, Rothero GP 17014; H18: almost unshaded vertical limestone of block on bank of River Shannon ca 2 m above water-level, in edge of grassland on slope, 35 m alt., W of Clonmacnoise, N00753067, Holyoak DT 07-323.
- 169.15. *Brachythecium plumosum*. 32: sloping brickwork at entrance to disused railway tunnel, 140 m alt., Brampton Valley Way, Kelmars, SP749696, Pool M; H31: on boulders ca 1 m above water at edge of stream, part-shaded by mixed deciduous & coniferous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081158, Holyoak DT 07-224 (part).
- 171.1. *Cirriphyllum piliferum*. H32: with other mosses on soil of bank ca 0.8 m above water of stream, lightly shaded in deciduous woodland, 70 m alt., Rossmore Forest Park, H653317, Holyoak DT 07-235.
- 172.3. *Rhynchostegium murale*. H18: almost unshaded on concrete of side of jetty on bank of River Shannon ca 2 m above water-level, 35 m alt., W of Clonmacnoise, N00753067, Holyoak DT 07-325.
- 172.5. *Rhynchostegium megapolitanum*. H5: Dry earthy crevice in old vegetated stone wall at top of cliff, 15 m alt., Ballycotton, Ballytrasna, W97976305, Hodgetts NG 7009.
- 173.1. *Eurhynchium striatum*. H31: growing over low rock on floor of mixed deciduous & coniferous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-222.
- 173.3. *Eurhynchium striatulum*. 33: on stones nr base of N-facing slope of deeply sunken lane, Redding Wood, SO879077, Lansdown RV.
- 173.5. *Eurhynchium pumilum*. 110: on deeply shaded soil in gully of burn, 25 m alt., Lews Castle grounds, Stornoway, Lewis, NB421332, Pool M; 111: Shaded concrete culvert below track, at top of low sea cliff, 5 m alt., Sanday, Gump of Spurness, HY606350, Hodgetts NG 7173; 112: in herb-rich grassland over limestone, Out Skerries, HU681720, 2006, Payne AG, conf. Blockeel; H31: on near-vertical soil of bank ca 1.5 m above stream, shaded by Hawthorns, 7 m alt., nr Drumcar Bridge, O06689114, Holyoak DT 07-190.
- 173.9. *Eurhynchium speciosum*. 21: on willows with *Brachythecium ruabulum* by canal, Springwell Lock nr Rickmansworth, TQ043930, Duckett JG; 111: Shaded concrete culvert below track, at top of low sea cliff, 5 m alt., Sanday, Gump of Spurness, HY606350, Hodgetts NG 7175.
- 174.1. *Rhynchostegiella tenella*. H9: on mortar of N-facing church wall, Kilmihil Old Church, R109640, Bosanquet SDS & Preston CD; H24: on limestone rock in wall, well shaded by edge of scrub & ash saplings nr lough shore, 37 m alt., W of Loughfarm, N01035980, Holyoak DT 07-273.

- 174.4. *Rhynchostegiella teneriffae*. 32: on edge of canal, Grand Union Canal, Dodford, SP626613, BBS meeting.
- 175.1. *Entodon concinnus*. H23: on base of low limestone rocks facing SE. on grassy hillside, lightly shaded by Hawthorn bushes, 125 m alt., E of Carrick, N55407084, Holyoak DT 07-133; H24: unshaded thin soil over limestone rock on floor of old quarry, with sparse low grasses & herbs, 40 m alt., W of Cashel, N00916005, Holyoak DT 07-285; H31: unshaded short grassland on base of slope of dune at golf course edge, 5 m alt., nr Baltray, O14817758, Holyoak DT 07-404.
- 180.1. *Plagiothecium latebricola*. 32: on base of oak, High Wood nr Preston Capes, SP5854, Hill MO.
- 180.5. *Plagiothecium curvifolium*. 103: on acid bank under conifers, 175 m alt., S of Cnoc Reamhar, Ross of Mull, NM462197, Pool M.
- 180.8. *Plagiothecium platyphyllum*. H6: Flushed rock on N-facing cliff in corrie, 500 m alt., Comeragh Mts, Coumshingaun Lough, S32401066, Hodgetts NG 7257; H7: Crevice among boulders on shore of small corrie lake, 480 m alt., Knockmealdown, NE corrie, S064086, Hodgetts NG 7195.
- 180.10. *Plagiothecium succulentum*. 33: on oak stump by ditch, by track E of Fire service college boundary, Moreton-in-Marsh, SP227328, Lansdown RV & Rumsey FJ, conf. Holyoak.
- 180.11. *Plagiothecium nemorale*. H13: on thin soil on shaded rock outcrop on wooded bank, 20 m alt., E bank of River Barrow, NE of Tinnahinch, S7244, Blockeel TL 36/555; H31: growing over low rock on floor of mixed deciduous & coniferous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-221 (part).
- 180.12. *Plagiothecium undulatum*. H31: on damp peat at base of bank on N-facing hillslope, with *Sphagnum subnitens*, 490 m alt., Clermont Cairn, J09831586, Holyoak DT 07-204.
- 182.1. *Pseudotaxiphyllum elegans*. H31: on humic soil at base of conifer trunk in open mixed coniferous & deciduous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-217.
- 187.1. *Pyloisia polyantha*. 33: 2m up on inclined ash in secondary woodland, N edge of Fire service college site, Moreton-in-Marsh, SP213321, Rumsey FJ *et al.*; 35: 3 patches on *Crataegus* in hedge on N side of road, 80 m alt., Llwyncelyn, Llanhenock, ST352949, Bosanquet SDS.
- 190.3b. *Hypnum cupressiforme* var. *heseleri*. 29: one large tuft in crotch of Bramley apple tree, orchard at Elm nr Wisbech, TF459067, Hill MO & Stevenson CR.
- 190.6. *Hypnum andoi*. H31: growing over tree stump on roadside at edge of mixed coniferous & deciduous woodland, 90 m alt., nr Marble Bridge (Ravensdale Park), J081157, Holyoak DT 07-223.
- 191.1. *Ptilium crista-castrensis*. 83: on log amongst tall herbs on overgrown river bank, 150 m alt., Addiewell Bing SWT reserve, West Calder, NT00246317, Long DG *et al.* 36950.
- 192.1.c. *Ctenidium molluscum* var. *condensatum*. H6: soil of steep E-facing slope in deciduous woodland above river, 5 m alt., just N of W side of Glendine Bridge, X071826, Holyoak DT 07-72.
- 193.1. *Hyocomium armoricum*. H31: on rock & stony soil ca 0.5 m above water at edge of stream in mixed deciduous & coniferous woodland; shaded, 90 m alt., nr Marble Bridge (Ravensdale Park), J081158, Holyoak DT 07-225; H32: on part-shaded sandstone boulders 10-30 cm above water-level in moorland stream, 285 m alt., Barratitopy Upper, H56484231, Holyoak DT 07-157.
- 194.3. *Rhytidiadelphus subpinnatus*. 86: on woodland floor in open ravine section of river, 100 m alt., Carron Valley SWT reserve, Denny, NS784836, Kungu E, Chamberlain DF & Rothero GP 17181. New to Scotland.
- 194.4. *Rhytidiadelphus loreus*. H31: at base of *Empetrum*, *Calluna*, etc. on peaty soil of N-facing hillslope, 490 m alt., Clermont Cairn, J09841587, Holyoak DT 07-203.

Contributors of moss records in 2007

B. Ballinger, P.M. Benoit, H.H. Birks, H.J.B. Birks, T.L. Blockeel, S.D.S. Bosanquet, A. Britton, D.A. Callaghan, R.H. Carter, D.F. Chamberlain, A.O. Chater, R.W.M. Corner, A. Denard, D. Doogue, J.G. Duckett, R.J. Fisk, M. Flagmeier, L. Fraser, D. Genney, G. Gent, M.F. Godfrey, J.G. Hendy, M.O. Hill, N.G. Hodgetts, D.T. Holyoak, G.A. Holyoak, P.M. Jepson, E.M. Kungu, F. Lammiman, R.V. Lansdown, M. Lawley, N. Lockhart, D.G. Long, L. MacKinnon, P. Martin, H.W. Matcham, W. Nelson, F.H. O'Neill, J.A. Paton, A.G. Payne, M.A. Pearnan, J.P. Poland, M. Pool, S. Pressel, T. Pyner, C. Rieser, G.P. Rothero, F.J. Rumsey, N.A. Sanderson, J.D. Sleath, G.F. Smith, C.R. Stevenson, S. Taylor, C.T.W. Tipper, C. Wall, H.W. Wallis, J.A. Wright

G.P. Rothero (e gprothero@aol.com)